

## Articles on eye care or ophthalmology in Kenya (1995—2011)

### Blindness surveys

1. Kimani K, Karimurio J, Gichuli S, Marco S, Nyaga G, Wachira J, Ilako D. Barriers to utilization of eye care services in Kibera and Dagoreti Divisions of Nairobi, Kenya. *East Afr J Ophthalmol.* 2008; 55-61.
2. Mathenge W, Kuper H, Limburg H, Polack S, Onyango O, Nyaga G, Foster A. Rapid Assessment of Avoidable Blindness in Nakuru District, Kenya. *Ophthalmology.* 2007; 114: 599-605.
3. Ndegwa LK, Karimurio J, Okelo RO, Adala HS. Barrier to utilization of eye care in Kibera slums of Nairobi. *East Afr Med J.* 2005; 82: 506-508.
4. Ndegwa LK, Karimurio J, Okelo RO, Adala HS, Prevalence of visual impairment and blindness in a Nairobi urban population. *East Afr Med J.* 2006; 83:69-72.

### Cataract

5. Briesen S, Geneau R, Roberts H, Opiyo J, Courtright P. Understanding why patients with cataract refuse free surgery: the influence of rumors in Kenya. *Trop Med Int Health.* 2010;15(5):534-9.
6. Briesen S, Roberts H, Ilako D, Karimurio J, Courtright P. Are blind people more likely to accept free cataract surgery? A study of vision-related quality of life and visual acuity in Kenya. *Ophthalmic Epidemiol.* 2010;17(1):41-9.
7. Briesen S, Roberts H, Karimurio J, Kollmann M. Biometry in cataract camps. Experiences from north Kenya. *Ophthalmologe.* 2010;107(4):354-8. German.
8. Briesen S, Roberts H, Lewallen S. The importance of biometry to cataract outcomes in a surgical unit in Africa. *Ophthalmic Epidemiol.* 2010;17(4):196-202.
9. Bowman RJC, Yorston D, Wood M, Gilbert C, Foster A. Primary Intraocular Lens Implantation for Penetrating Lens Trauma in Africa. *Ophthalmology.* 1998; 105:1770-1774.
10. Jyotee T, Khan FA, Quality of Cataract Surgery in a high volume setting at Lions Sight First Eye Hospital, Kenya. *East Afr J Ophthalmol.* 2007; 12-17.

11. Karimurio J, Shiela M, Gichangi M, Adala H, Huguet P. Rapid assessment of Cataract surgical services in Embu district, Kenya. *East Afr J Ophthalmol*. 2007; 20-26.
12. Kuper H, Polack S, Eusebio C, Mathenge W, Wadud Z, Foster A. A Case-Control Study to Assess the Relationship between Poverty and Visual Impairment from Cataract in Kenya, Philippines, and Bangladesh. *PLoS Medicine*. 2008;5:1716-1728.
13. Kuper H, Polack S, Mathenge W, Eusebio C, Wadud Z, Rashid M, Foster A. Does cataract surgery alleviate poverty? Evidence from a multi-centre study conducted in Kenya, the Philippines, and Bangladesh. *PLoS One*. 2010;5(11): e15431.
14. Lewallen S, Roberts H, Hall A, Onyange R, Banzi J, Courtright P. Increasing cataract surgery to meet Vision 2020 targets; experience from two rural programmes in east Africa. *Br J Ophthalmol*. 2005;89:1237-1240.
15. Lindfield R, Kuper H, Polack S, Eusebio C, Mathenge W, Wadud Z, Rashid A, Foster A. Outcome of Cataract surgery at one year in Kenya, the Philippines, and Bangladesh. *Br J Ophthalmol*. 2009;93:875-880.
16. Polack S, Eusebio C, Mathenge W, Wadud Z, Mamunur AK, Fletcher A, Foster A, Kuper H. The impact of cataract surgery on health related quality of life in Kenya, the Philippines, and Bangladesh. *Ophthalmic Epidemiol*. 2010;17(6):387-99.
17. Polack S, Eusebio C, Mathenge W, Wadud Z, Rashid M, Foster A, Kuper H. The impact of cataract surgery on activities and time-use: results from a longitudinal study in Kenya, Bangladesh, and the Philippines. *PLoS One*. 2010;5(6):e10913.
18. Polack S, Kuper H, Mathenge W, Fletcher A, Foster A. Cataract visual impairment and quality of Life in a Kenyan population. *Br J Ophthalmol*. 2007;91:927-935.
19. Reshelf DS, Reshelf SH. Postoperative cataract surgery satisfaction in a rural Kenyan clinic. *J Cataract Refract Surg*. 1997; 23:575-80.
20. Yorston D, Foster A. Audit for extracapsular cataract extraction and posterior chamber lens implantation as a routine treatment for age related cataract in east Africa. *Br J Ophthalmol*. 1999; 83:897-901.
21. Yorston D, Gichuchi S, Wood M, Foster A. Does prospective monitoring improve cataract surgery outcomes in Africa? *Br J Ophthalmol*. 2002; 86: 543-547.
22. Yorston D. Are intraocular lenses the solution to cataract blindness in Africa? *Br J Ophthalmol*. 1998; 82: 469-471.

### **Childhood Blindness**

23. Gilbert CE, Wood M, Waddell K, Foster A. Causes of Childhood Blindness in east Africa: results in 491 pupils attending 17 schools for the blind in Malawi, Kenya, and Uganda. *Ophthalmic Epi*. 1995; 2:77-84.
24. Gradin D, Yorston D. Intraocular lens implantation for traumatic cataract for children. *J Cataract Refractive Surg* 2001; 27:2017-2025.

25. Isenberg SJ, Apt L, Wood M. The influence of perinatal infective factors on ophthalmia neonatorum. *J Pediatr Ophthalmology Strabismus*. 1996; 33: 185-88.
26. Njabi L, Kariuki MM, Masinde S. Ocular findings in children attending occupational therapy clinic at Kenyatta National Hospital, Nairobi, Kenya. *East Afr J Ophthalmol*. 2009;15:21-26.
27. Njuguna M, Msukwa G, Shilio B, Tumwesigye C, Courtright P, Lewallen S. Causes of severe visual impairment and blindness in children in schools for the blind in East Africa: changes in the last 14 years. *Informa health care*. 2009;16:151-155.
28. Msukwa G, Njuguna M, Tumwesigye C, Shilio B, Courtright P, Lewallen S. Cataract in children attending schools for the blind and resource centers in Eastern Africa. *American Academy of Ophthalmology*. 2009;116:1009-1012.
29. Mundia DG, Ilako DR, Masinde MS. Risk of developing neonatal conjunctivitis in newborns of mothers with prolonged labour. *East Afr J Ophthalmol*. 2008;5-12.
30. Saiba SE, Kimani K, Ilako DR. Outcome of childhood cataract surgery at Kenyatta National Hospital. *East Afr J Ophthalmol*. 2008;13-18.
31. Silver J, Gilbert CE, Spoerer P, Foster A. Low vision in east African blind school students: need for optical low vision services. *Br J Ophthalmol*. 1995;79: 814-20.
32. Taffa N, Chepngeno B, Nyamongo MA, Child Morbidity and Healthcare Utilization in the Slums of Nairobi, Kenya. *Journal of Tropical Paediatric*. 2005; 51:279-284.
33. Tumwesigye C, Msukwa G, Njuguna M, Shilio B, Courtright P, Lewallen S. Inappropriate enrollment of children in schools for the visually impaired in east Africa. *Annal of Tropical Paediatric*. 2009;29:135-39.
34. Yorston D, Wood M, Foster A, Results of cataract surgery in young children in east African. *Br J Ophthalmol*. 2001; 85: 267-71.

### **Cornea & Conjunctiva**

35. Bowman RJC, Yorston D, Aitchison TC, McIntyre B, Kirkness CM. Traumatic wound rupture after penetrating keratoplasty in Africa. *Br J Ophthalmol*. 1999; 83:530-34.
36. Isenberg SJ, Apt L, Signore MD, Gichuchi S, Berman NG. A double application approach to ophthalmia neonatorum prophylaxis. *Br J Ophthalmol*. 2003; 87:1449-52.
37. Isenberg SJ, Apt L, Wood M. A controlled trial of Povidone-Iodine as prophylaxis against ophthalmic neonatorum. *The New England Journal of Medicine*. 1995; 332:562-66.
38. Jafferji SS, Ilako DR, Kollmann KHM, Kariuki MM, Schaller UC. The antibiotic sensitivity pattern of coagulase negative staphylococci; a major ocular normal flora. *Afr J Ophthalmol*. 2007;27-33.

39. Nyenze E, Ilako D, Karimurio J. KAP of traditional healers on treatment of eye diseases in Kitui district of Kenya. *Afr J Ophthalmol.* 2007;6-11.
40. Nentwich MM, Kollmann KHM, Meshack J, Ilako DR, Schaller UC. Microbial contamination of multi-use ophthalmic solutions in Kenya. *Br J Ophthalmol.* 2007;91:1265-68.
41. Ogendo SW, Awori MN, Omondi MA, Mulatya EM, Mugo PW. Risk of conjunctival contamination from blood splashes during surgery at the Kenyatta National Hospital, Nairobi. *East Afr Med J.* 2008;85(9):432-7.
42. Pe'er J, Gnessin H, Levinger S, Averbukh E, Levvy Y, Polacheck I. Conjunctival oculosporidiosis in east Africa caused by *Rhinosporidium seeberi*. *Arch Pathol Lab Med.* 1996; 120:854-8.
43. Tuft SJ, Cree IA, Woods M, Yorston D, Limbal Vernal Keratoconjunctivitis in the Tropics. *Ophthalmology.* 1998; 105:1489-93.
44. Wafula EM, Kinyanjui MM, Nyabola L, Tenambergen ED. Effect of improved stoves on the prevalence of acute respiratory infection and conjunctivitis among children and women in rural community in Kenya. *East Afr Med J.* 2000; 77:37-41.

## **Glaucoma**

45. Briesen S, Schulze Schwering M, Roberts H, Kollmann M, Stachs O, Behrend D, Schafer S, Guthoff R. Minimal cross-infection risk through Icare rebound tonometer probes: a useful tool for IOP-screenings in developing countries. *Eye (Lond).* 2010;24(7):1279-83.
46. Kiage DO, Gradin D, Gichuli S, Damji KF. Ahmed glaucoma valve implant: experience in East Africa. *Middle East Afr J Ophthalmol.* 2009;16(3):151-5.
47. Schwartz EC, Mutumba RN, Schaal ST, Spiegel D, Klauss V. Etiology of secondary glaucoma clinics in Munich and Nairobi. *Ophthalmology.* 1995;92:577-80.
48. Yorston D, Khaw PT. A randomized trial of the effect of intraoperative 5-FU on the outcome of trabeculectomy in east Africa. *Br J Ophthalmol.* 2001; 85: 1028-30.

## **HIV/AIDS**

49. Chisi SK, Kollmann MKH, Karimurio J. Conjunctival squamous cell carcinoma in patients with human immunodeficiency virus infection seen at two hospitals in Kenya. *East Afr Med J.* 2006; 5:267-70.
50. Gichuhi S, Bosire R, Mbori-Ngacha D, Gichuhi C, Wamalwa D, Maleche-Obimbo E, Farquhar C, Wariua G, Otieno P, John-stewart GC. Risk factors for neonatal conjunctivitis in babies of HIV-I infected mothers. *Ophthalmic Epi.* 2009;16(6): 337-45.
51. Listo BN, Kollmann KHM, Kimani K, Owino C. Ocular manifestations of HIV/AIDS at Moi Teaching and referral Hospital (AMPATH Clinic). *East Afr J Ophthalmol.* 2009;15: 27-34.

## **Malaria**

52. Carter AJ, Mung'ala-Odera V, Neville BGR, Murira G, Mturi N, Mususmba C, Newton CJ. Persistent neurocognitive impairments associated with severe falciparum malaria in Kenyan children. *J Neurol Neurosurg Psychiatry*. 2005; 76:476-81.
53. Hero M, Harding SP, Riva CE, Winstanley PA, Peshu N, Marsh K. Photographic and angiographic characterization of the retina of the Kenyan children with severe malaria. *Arch Ophthalmol*. 1998; 116: 542-3.
54. Lewallen S. Fundus in Severe Malaria. *Arch Ophthalmol*. 1998; 116:542-546.
55. Lewallen S, Harding SP, Ajewole J, Schulenberg WE, Molyneux ME, Marsh K, Usen S, White NJ, Taylor TE. A review of the spectrum of clinical ocular fundus findings in *P. falciparum* malaria in children with a proposed classification and grading system. *Transactions of the Royal Society of Tropical Medicine and Hygiene*. 1993:619-622.
56. Sowunmi A. Clinical study of cerebral malaria in African children. *Afr J Med Sci*. 1997; 26: 9-11.

## **Refractive Errors**

57. Muna MK, Kimani K, Kariuki-Wanyoike MM. Prevalence of significant errors in primary school children of a rural district of Kenya. *East Afr J Ophthalmol*. 2007; 48-51.

## **Trachoma**

58. Karimurio J, Gichangi M, Ilako DR, Adala HS, Kilima P. Prevalence of trachoma in six districts of Kenya. *East Afr Med J*. 2006; 83:63-68.
59. Karimurio J, Hillary R, Mesurier RL, Mwanthi M, Keeffe J. What is the appropriate age range of individuals to be included in surgery to estimate the prevalence of trachomatous trichiasis? *Br J Ophthalmol* 2011;95:1058-1060
60. Karimurio J, Ilako F, Gichangi M. Prevalence of active and potentially blinding trachoma in Laikipia district, Kenya. *East Afr J Ophthalmol*. 2007; 39-42.
61. Karimurio J, Kimani K, Gichuhi S, Kollmann KHM. Baseline trachoma survey in ELCK-Arsim integrated development project area of Samburu North, Kenya. *East Afr J Ophthalmol*. 2008; 49-54.
62. Morris D, Francombe J. the 'ngisipet' and trachoma prevention: solving the latrine problem in nomadic tribes. *Community Eye Health Journal*. 2007; 20:70.
63. Schwab L, Whitfield R Jr, Ross-Degnan D, Steinkuller P, Swartwood J. The epidemiology of trachoma in rural Kenya; variation in prevalence with lifestyle and environment. Study survey group. *Ophthalmology*. 1995; 102:475-82.

## **Vitamin A**

64. Mathenge W, Kuper H, Myatt M, Foster A, Gilbert C. Vitamin A deficiency in Kenyan prisons. *Tropical Medicine and International Health*. 2007;12:269-273.
65. Munene RM, Adala HS, Masinde MS, Rana FS. Vitamin A deficiency among Kenyan children as detected by conjunctival impression cytology. *East Afr Med J*. 2003; 80:476-9.
66. Ngare DK, Muttunga JN, Njonge E. Vitamin A deficiency in pre-school children in Kenya. *East Afr Med J*. 2000; 77:421-4.
67. Woodruff BA, Blank HM, Sluysker L, Cookson ST, Larson MK, Duffield A, Bhatia R. Anaemia, iron status and vitamin A deficiency among adolescent refugees in Kenya and Nepal. *Public Health Nutrition*. 2006; 9:26-34.

### **Others**

68. Barkley NL, Campbell BC, Leslie PW. A comparison of health complaints of settled and nomadic Turkana men. *Med Anthropol Q*. 2001; 15:391-408.
69. Nordberg E, Mwobobia I, Muniu E. Major and Minor surgery output at district level in Kenya: review and issues in need of further research. *Afr J Health Sci*. 2002;9:17-25.
70. Ohito GSO. Vogt-Koyanagi-Harada Syndrome: A case report. *East Afr J Ophthalmol*. 2009;15:35-37.
71. Yorston D, Wood ML, Gilbert C. Retinal Detachment in East Africa. *Ophthalmology*. 2002; 109:2279-83.
72. Zondervan M. The challenges of eye care in Africa: ophthalmic nurse training. *Journal of Ophthalmic Nurse Technology*. 1998; 17:139-44.