

Articles on eye care and ophthalmology in Ethiopia (1995-2006).

Blindness Surveys

Alemayehu W, Tekle Haimanot R, Forsgren L, Erkstedt J. Causes of visual impairment in central Ethiopia. *Ethiop Med J.* 1995; 33: 163-74.

Melese M, Alemayehu W, Bayu S, Girma T, Hailesellasie T, Khandekar R, Worku A, Courtright P. Low vision and blindness in adults in Gurage Zone, central Ethiopia. *Br J Ophthalmol.* 2003; 87: 677-80.

Zerihun N, Mabey D. Blindness and low vision in Jimma Zone, Ethiopia: results of a population-based survey. *Ophthalmic Epidemiol.* 1997; 4: 19-26.

Childhood blindness

Kello AB, Gilbert C. Causes of severe visual impairment and blindness in children in schools for the blind in Ethiopia. *Br J Ophthalmol.* 2003; 87:526-30.

Cataract

Girma T, Mengistu F, Hogeweg M. The pattern of cataract and the postoperative outcome of cataract extraction in Ethiopian leprosy patients as compared to nonleprosy patients. *Lepr Rev.* 1996; 67:318-24

Melese M, Alemayehu W, Friedlander E, Courtright O. Indirect costs associated with accessing eye care services as a barrier to services use in Ethiopia. *Trop Med Int Health.* 2004; 9:426-31.

Teshome T, Regassa K. Prevalence of pseudoexfoliation syndrome in Ethiopian patients scheduled for cataract surgery. *Acta Ophthalmol Scand.* 2004; 84:254-8.

Zerihun N. Visual outcome of the first 500 cataract extractions done in the field; Jimma, Ethiopia. *Int Ophthalmol*. 2001; 24: 291-5.

Glaucoma

Bedri A, Alemu B. Pseudoexfoliation syndrome in Ethiopian glaucoma patients. *East Afr Med J*. 1999; 76:278-80.

Zerihun N, Mabey D. Blindness and low vision in Jimma Zone, Ethiopia: results of a population-based survey. *Ophthalmic Epidemiol*. 1997; 4:19-26.

Trachoma

Alemayehu W, Malese M, Fredlander E, Worku A, Courtright P. Active trachoma in children in central Ethiopia: association with altitude. *Trans R Soc Trop Med Hyg*. 2005; 99:840-3.

Alemayehu W, Malese M, Bejiga A, Worku A, Kadebe W, Fantaye D. Surgery for trichiasis by ophthalmologists versus integrated eye care workers: a randomized trial. *Ophthalmology*. 2004; 111:578-84.

Alene GD, Abebe S. Prevalence of risk factors for trachoma in a rural locality of north-western Ethiopia. *East Afr Med J*. 2000;77:308-12.

Assefa T, Argaw D, Foster A, Schwartz E. Results of trachoma rapid assessment in 11 village of South Gonder Zone, Ethiopia. *Trop Doct*. 2001; 31:202-4.

Bejiga A, Alemayehu W. Prevalence of trachoma and its determinants in Dalocha District, Central Ethiopia. *Ophthalmic Epidemiol*. 2001; 8:119-25.

Chidambaram JD, Alemayehu W, Malese M, Lakew T, Yi E, House J, Cevallos V, Zhou Z, Maxey K, Lee DC, Shapiro BL, Srinivasan M, Porco T, Whitcher JP, Gaynor BD, Lietman TM. Effect of a single mass antibiotic distribution on the prevalence of infectious trachoma. *JAMA*. 2006;295:1142-6.

Chidambaram JD, Malese M, Alemayehu W, Yie E, Prabripataloong T, Lee DC, Cevallos V, Zhou Z, Whitcher JP, Gaynor BD, Lietman TM. Mass antibiotic treatment and community protection in trachoma control programs. *Clin Infect Dis*. 2004;39:95-7.

Cumberland P, Hailu G, Todd J. Active trachoma in children aged three to nine years in rural communities in Ethiopia: prevalence, indicators and risk factors. *Trans R Soc Trop Med Hyg*. 2005;99:120-7.

Edwards T, Cumberland P, Hailu G, Todd J. Impact of health education on active trachoma in hyperendemic rural communities in Ethiopia. *Ophthalmology*. 2006; 113:548-55.

Lietman TM, Neuwelt MD, Gandhi NG, Dalmon CA, Benitah N. Trachoma research: it takes more than a village. *Lancet*. 2006; 367:395.

Melese M, Alemayehu W, Worku A. Trichiasis among close relatives, central Ethiopia. *Ethiop Med J*. 2004; 42:255-9.

Melese M, West ES, Alemayehu W, Munoz B, Worku A, Gaydos CA, West SK. Characteristics of trichiasis patients presenting for surgery in rural Ethiopia. *Br J Ophthalmol*. 2005; 89: 1084-8.

Melese M, Chidambaram JD, Alemayehu W, Lee DC, Yie EH, Cevallos V, Zhou Z, Donnellan C, Saidel M, Whitcher JP, Gaynor BD, Lietman TM. Feasibility of eliminating ocular *Chlamydia trachomatis* with repeat mass antibiotic treatments. *JAMA*. 2004; 292:721-5.

Mesfin MM, de la Camera J, Tareke IG, Amanual G, Araya T, Kedir AM. A community-based trachoma survey: prevalence and risk factors in the Tigray region of northern Ethiopia. *Ophthalmic Epidemiol*. 2006; 13: 173-81.

Miller K, Schmidt G, Melese M, Alemayehu W, Yie E, Cevallos V, Donnellan C, Olinger L, Fantaye D, Gaynor B, Whitcher JP, Lietman T. How reliable is the clinical exam in detecting ocular chlamydial infection? *Ophthalmic Epidemiol*. 2004; 11:255-62.

Miller K, Pakpour N, Yie E, Melese M, Alemayehu W, Bird M, Schmidt G, Cevallos V, Olinger L, Chidambaram J, Gaynor B, Whitcher J, Lietman T. Pesky trachoma suspect finally caught. *Br J Ophthalmol*. 2004; 88:750-1.

Regassa K, Teshome T. Trachoma among adults in Damot Gale District, South Ethiopia. *Ophthalmic Epidemiol*. 2004; 11: 9-16.

Sodhi PK, Verma L. Surgery for trichiasis. *Ophthalmology*. 2004; 111:2147-8.

West SK, West ES, Alemayehu W, Melese M, Munoz B, Imeru A, Worku A, Gaydos C, Meinert CL, Quinn T. Single-dose azithromycin prevents trichiasis recurrence following surgery: randomized trial in Ethiopia. *Arch Ophthalmol*. 2006; 124: 309-14.

West ES, Munoz B, Imeru A, Alemayehu W, Melese M, West SK. The association between epilation and corneal opacity among eyes with trachomatous trichiasis. *Br J Ophthalmol*. 2006; 90: 171-4.

West ES, Alemayehu W, Munoz B, Melese M, Imeru, West SK. Surgery for Trichiasis, Antibiotics to prevent Recurrence (STAR) Clinical Trial methodology. *Ophthalmic Epidemiol*. 2005; 12: 279-86.

Wondimu A, Bejiga A. Prevalence of trachomatous trichiasis in the community of Alaba District, Southern Ethiopia. *East Afr Med J*. 2003; 80:365-8.

Zerihun N. Trachoma in Jimma zone, south western Ethiopia. *Trop Med Int Health*. 1997; 2: 1115-21.

Onchocerciasis

Argaw H. Onchocerciasis among school children in Kafa, South West Ethiopia. *Ethiop Med J*. 1999; 37:223-36.

Enk CD, Anteby I, Abramson N, Amer R, Amit Y, Bergshtein-Kronhaus T, Cohen E, Greenberg Z, Jonas F, Mayaan S, Marva E, Strauss U, BenEzra D. Onchocerciasis among Ethiopian immigrants in Israel. *Isr Med Assoc J*. 2003; 5: 485-8.

Figueroa JL, Fuller LC, Abraha A, Hay RJ. Dermatology in southwestern Ethiopia: rationale for a community approach. *Int J Dermatol*. 1998; 37: 752-8.

Gebre-Michael T, Gemetchu T. Anthropophilic blackflies (Diptera: Simuliidae) and onchocerciasis transmission in southwest Ethiopia. *Med Vet Entomol*. 1996; 10:44-52.

Gebre-Michael T, Malone JB, McNally K. Use of Geographic Information System in the development of prediction models for onchocerciasis control in Ethiopia. *Parassitologia*.2005; 47:135-44.

Hadis M, Wilson MD, Cobblah M, Boakye DA. Cytotaxonomic description of *Simulium kaffaense*, a new member of the *S. damnosum* complex (Diptera: Simuliidae) from south-western Ethiopia. *Am Trop Med Parasitol*.2005; 99:267-91.

Hailu A, Balcha F, Birrie H, Berhe N, Aga A, Mengistu G, Bezuneh A, Ali A, Gebre-Michael T, Gemetchu T. Prevalence of onchocercal skin disease and infection among workers of coffee plantation farms in Teppi, southwestern Ethiopia. *Ethiop Med J*.2002; 40:259-69.

Lazarov A, Amihai B, Sion-Vardy N. Pruritus and chronic papular dermatitis in an Ethiopian man. *Onchocerciasis (chronic papular onchodermatitis)*. *Arch Dermatol*.1997; 133:382-3,385-6.

Mengistu G, Balcha F, Britton S. Co-infection of *Onchocerca volvulus* and intestinal helminthes in indigenous and migrant farmers in southwest Ethiopia. *Ethiop Med J*.2002; 40:19-27.

Mengistu G, Balcha F, Britton S. Clinical presentation of onchocerciasis among indigenous and migrant farmers in southwest Ethiopia. *East Afr Med J*.1999; 76:635-8.

No authors listed. New light shed on the importance and care of onchocercal skin disease. *TDR News*.1998; 55:5.

Oshry T, Lifshitz T, Wender A, Yassur Y. Ocular onchocerciasis in Israel. *Harefuah*.1995; 128:80-2, 128, 127. Hebrew.

Pressman A, Kandelis Y, Bachar Y, Mogilner G. *Onchocerca volvulus*—a rare cause of a mass in children. *Harefuah*.1998; 134:31-2,78. Hebrew.

Taye A, Gebre-Michael T, Taticheff S. Onchocerciasis in Gilgel Ghibe River Valley southwest Ethiopia. *East Afr Med J*.2000; 77:116-20.

Wolf R, Orion E, Matz H. Onchorerciasis (river blindness). *Isr Med Assoc J*. 2003; 5:522-3.

Others

Alemayehu W, Shamebo M, Bedri A, Mengistu Z. Ocular manifestations of leukaemia in Ethiopians. *Ethiop Med J*.1996; 34:217-24.

Kasis I, Lak L, Adler J, Choni R, Shazberg G, Fekede TD, Shoshani E, Miller D, Heyman S. Medical relief operation in rural northern Ethiopia: addressing an ongoing disaster: *Isr Med Assoc J*. 2001; 87:677-80.

Korneev IM, Beliaev VS, Shinaev NN. Features of the course and treatment of several eye diseases in Eastern Africa. *Vestn Oftalmol*.1998; 114:38-42.

Seyoum B, Mengistu Z, Berhanu P, Abdulkadir J, Fekete Y, Worku Y, Ayana G. Retinopathy in patients of Tikur Anbessa Hospital diabetic clinic. *Ethiop Med J*. 2001; 39:123-31

Vitamin A Deficiency

Asrat YT, Omwega AM, Muita JW. Prevalence of vitamin A deficiency among pre-school and school-aged children in Arssi Zone, E Ethiopia. *East Afr Med J*.2002; 79:355-9.

Getaneh T, Assefa A, Tadesse Z. Dietary practices and xerophthalmia in under-fives in Jimma town, southwest Ethiopia. *East Afr Med J*. 2000; 77:313-5.

Haidar J, Tsegaye D, Mariam DH, Tibebe HN, Muroki NM. Vitamin A supplementation on child morbidity. *East Afr Med J*.2003; 80:17-21.

Haidar J, Demissie T. Malnutrition and xerophthalmia in rural communities of Ethiopia. *East Afr Med J*. 1999; 76:590-3.

Kassaye T, Receveur O, Johns T, Becklake MR. Prevalence of vitamin A deficiency in children aged 6-9 years in Wurko, northern Ethiopia. *Bull World Health Organ*. 2001; 79: 415-22.

Kassaye T, Becklake MR, Receveur O, Hanley JA, Johns T. Association between vitamin A status and lung function level in children aged 6-9 years in Worku, Northern Ethiopia. *Int J Epidemiol.* 2001; 30: 457-64.

Lemma F, Mariam AG. Xerophthalmia and malnutrition among pre-school children in Agaro town south-west Ethiopia. *East Afr Med J.*1996;73:179-81.

Tafesse Y, Fisseha T, Umeta M, Hidar J, Teka W. Vitamin A deficiency: a serious threat in Dodota district in central Ethiopia. *East Afr Med J.*1996; 73:303-7.

Umeta M, West CE, Verhoef H, Haidar J, Hautvast JG. Factors associate with stunting in infants aged 5-11 months in the Dodota-Sire District, rural Ethiopia. *J Nutr.* 2003; 133:1064-9.

Wondmikun Y. Lipid-soluble antioxidants status and some of its socio-economic determinants among pregnant Ethiopians at the third trimester. *Public Health Nutr.* 2005; 8:582-7.

Wondmikun Y. Dark adaptation pattern of pregnant women as an indicator of functional disturbance at acceptable serum vitamin A levels. *Eur J Clin Nutr.* 2002; 56:462-6.