

## **ETHIOPIA**

### **Articles on Eye Care or Ophthalmology [ 1995 - 2017 ]**

#### **Blindness surveys**

1. Alemayehu W, Tekle Haimanot R, Forsgren L, Erkestet J. Causes of visual impairment in central Ethiopia. *Ethiop Med J.* 1995; 33: 163-74.
2. Berhane Y, Worku A, Bejiga A, Adamu L, Alemayehu W, Bedri A, Haile Z, Ayalew A, Adamu Y, Gebre T, Kebede TD, West E, West S. Prevalence and causes of blindness and low vision in Ethiopia. *Ethiop J Health Dev.* 2007; 21(3):204-10.
3. Gelaw Y, Abateneh A. Ocular morbidity among refugees in Southwest Ethiopia. *Ethiop J Health Sci.* 2014 Jul; 24(3):227-34.
4. Hailu Y, Abeba T, Assegid A. Know-how of primary eye care among health extension workers (HEWs) in Southern Ethiopia. *Health Dev.* 2009; 23(2); 127-132.
5. Melese M, Alemayehu W, Bayu S, Girma T, Hailesellase T, Khandekar R, Worku A, Courtright P. Low vision and blindness in adults in Gurage Zone, central Ethiopia. *Br J Ophthalmol.* 2003; 87: 677-80.
6. Mulugeta S, Tesfay K, Frank R, Gruber-Frank C. Acute loss of vision in a young woman: a case report on psychogenic blindness. *Ethiop J Health Sci.* 2015; 25(1):99-104.
7. Thomas, B. J., et al. Blindness, cataract surgery and mortality in Ethiopia. *Br J Ophthalmol.* 2016; 100(9): 1157-1162.
8. Woldeyes A, Adamu Y. Gender difference in adult blindness and low vision, Central Ethiopia. *Ethiop Med J.* 2008; 46(3): 211-8.
9. Zerihun N, Mabey D. Blindness and low vision in Jimma Zone, Ethiopia: results of a population-based survey. *Ophthalmic Epidemiol.* 1997; 4: 19-26.

#### **Cataract**

10. Addisu Z, Solomon B. Patients' preoperative expectation and outcome of cataract surgery at Jimmy University Specialized Hospital-department of ophthalmology. *Ethiop J Health Sci.* 2011; 21(1):47-55.
11. Bejiga A, Tadesse S. Cataract surgical coverage and outcome in Goro District, Central Ethiopia. *Ethiop Med J.* 2008; 46(3): 205-10.
12. Courtright, P., et al. Setting targets for human resources for eye health in sub-Saharan Africa: what evidence should be used? *Hum Resour Health.* 2016; 14: 11.
13. Gelaw Y, Tibebe Y. Clinical characteristics of cataract patients with pseudoexfoliation syndrome at Jimma University Specialized Hospital, Southwest Ethiopia. *Ethiop J Health Sci.* 2012; 22(1): 1-6.
14. Gelaw Y, Abateneh A. Periocular necrotizing fasciitis following retrobulbar injection. *Clin Ophthalmol.* 2014 Jan 28;8:289-92.
15. Girma T, Mengistu F, Hogeweg M. The pattern of cataract and the postoperative outcome of cataract extraction in Ethiopian leprosy patients as compared to non-leprosy patients. *Lepr Rev.* 1996; 67: 318-24.
16. Habtamu, E, Eshete, Z, Burton MJ. Cataract surgery in Southern Ethiopia: distribution, rates and determinants of service provision. *BMC Health Services Research* 2013, 13:480.
17. Kinori M, Tomkins-Netzer O, Wygnanski-Jaffe T, Ben-Zion I. Traumatic pediatric cataract in southern Ethiopia – results of 49 cases. *J AAPOS* 2013;17:512-515
18. Lewallen S, Etaya'ale D, Kello AB, Courtright P. Non-physician cataract surgeons in Sub-Saharan Africa: situation analysis. *Trop Med Int Health.* 2012: [Epub ahead of print].
19. Mehari ZA, Zewedu RT, Gulilat FB. Barriers to cataract surgical uptake in central Ethiopia. *Middle East Afr J Ophthalmology.* 2013;20(3):229-33.
20. Melese M, Alemayehu W, Friedlander E, Courtright P. Indirect costs associated with accessing eye care services as a barrier to services use in Ethiopia. *Trop Med Int Health.* 2004; 9: 426-31.
21. Teshome T, Regassa K. Prevalence of pseudoexfoliation syndrome in Ethiopian patients scheduled for cataract surgery. *Acta Ophthalmol Scand.* 2004; 84:254-8.
22. Tilahan Y, Sisay A. Audit of extracapsular cataract extraction with posterior chamber intraocular lens implantation in a tertiary eye care center in Ethiopia. *Ethiop Med J.* 2006; 44(1): 61-6.
23. Zerihun N. Visual outcome of the first 500 cataract extractions done in the field; Jimma, Ethiopia. *Int Ophthalmol.* 2001; 24: 291-5.

### **Childhood blindness**

24. Asferaw, M., et al. Causes of severe visual impairment and blindness in students in schools for the blind in Northwest Ethiopia. *BMJ Glob Health.* 2017; 2(2): e000264.
25. Bezabih, L., et al. Prevalence and factors associated with childhood visual impairment in Ethiopia. *Clin Ophthalmol.* 2017; 11: 1941-1948.

26. Darge, H. F., et al. The Prevalence of Visual Acuity Impairment among School Children at Arada Subcity Primary Schools in Addis Ababa, Ethiopia. *J Ophthalmol* 2017; 9326108.
27. Demissie BS, Solomon AW. Magnitude and causes of childhood blindness and severe visual impairment in Sekoru District, Southwest Ethiopia: a survey using the key informant method. *Trans R Soc Trop Med Hyg*. 2011 Sep;105(9):507-11.
28. Demissie BS, Demissie ES. Patterns of eye diseases in children visiting a tertiary teaching hospital: South-western Ethiopia. *Ethiop J Health Sci*. 2014. 24(1):69-74.
29. Kang, Y., et al. Effectiveness of a community-based nutrition programme to improve child growth in rural Ethiopia: a cluster randomized trial. *Matern Child Nutr*. 2017; 13(1).
30. Kello AB, Gilbert C. Causes of severe visual impairment and blindness in children in schools for the blind in Ethiopia. *Br J Ophthalmol*. 2003; 87:526-30.
31. Mehari ZA. Pattern of childhood ocular morbidity in rural eye hospital, Central Ethiopia. *BMC Ophthal*. 2014, 14:50.
32. Santos-Bueso E, Dorrzoro-Ramírez E, Gegúndez-Fernández JA, Vinuesa-Silva JM, Vinuesa-Silva I, García-Sánchez J. Causes of childhood blindness in a developing country and an underdeveloped country. *J Fr Ophtalmol*. 2015; 38(5):427-30
33. Shifa, J. Z. and A. M. Gezmu Presenting signs of retinoblastoma at a tertiary level teaching hospital in Ethiopia. *Pan Afr Med J*. 2017; 28: 66.
34. Tenkir A, Tibebe T. Leech on the eye in a child. *Ethiop Med J*. 2010; 48(2):177-80.
35. Tomkins O, Ben-Zion I, Moore DB, Helveston EE. Outcomes of pediatric surgery at a tertiary care center in rural southern Ethiopia. *Arch Ophthalmol*. 2011;129(10): 1293-7.

### **Cornea**

36. Ament JD, Tilahun Y, Mudawi E, Pineda R. Role for ipsilateral autologous corneas as a carrier for the Boston keratoprosthesis: the Africa experience. *Arch Ophthalmol*. 2010; 128(6):795-7.
37. Anbesse, D. H., et al. Prevalence and associated factors of pterygium among adults living in Gondar city, Northwest Ethiopia. *PLoS One*. 2017; 12(3): e0174450.
38. Gelaw Y, Ambaw F. Socio-demographic correlates of attitude towards corneal donation among health science students and academic staff of Jimma University. *Ethiop Med J*. 2010; 48(1):41-7.
39. Roba AA, Tilahun Y, Bekele S. Life with another cornea: impact of corneal transplantation and eye banking in Ethiopia. *Ethiop Med J*. 2013; 51(1): 67-72.

### **Glaucoma**

40. Alemu AM, Kristoffersen CJ, Kristoffersen MS, Stewart JA, Stewart WC. Long-term benefit of reduced intraocular pressure in primary open-angle glaucoma patients in Ethiopia. *Eur J Ophthalmol.* 2010; 20(2):310-5.
41. Atey, T. M., et al. The Impact of Adherence and Instillation Proficiency of Topical Glaucoma Medications on Intraocular Pressure. *J Ophthalmol* 2017: 1683430.
42. Bedasso, K., et al. Prevalence of Common Mental Disorders and Associated Factors among People with Glaucoma Attending Outpatient Clinic at Menelik II Referral Hospital, Addis Ababa, Ethiopia. *PLoS One.* 2016; 11(9): e0161442.
43. Bedri A, Alemu B. Pseudoexfoliation syndrome in Ethiopian glaucoma patients. *East Afr Med J.* 1999; 76:278-80.
44. Ben-Zion I, Bogale A, Moore DB, Helvestone EM. Bilateral primary congenital glaucoma in Monozygotic Twins. *J Pediatr Ophthalm Strabis.* 2010; 41: 124-6.
45. Ben-Zion I, Tomkins O, Moore DB, Helveston EM. Surgical results in the management of advanced primary congenital glaucoma in a rural pediatric population. *Ophthalmology.* 2011; 119(2): 231-5.
46. Gelaw Y. The impact of central corneal thickness on intraocular pressure among Ethiopian glaucoma patients: a cross-sectional study. *BMC Ophthalmol.* 2012; 12:58
47. Gelaw Y, Kollmann M, Irungu NM, Ilako DR. The influence of central corneal thickness on intraocular pressure measured by goldmann applanation tonometry among selected Ethiopian communities. *J Glaucoma.* 2010; 19(8):514-8.
48. Gessesse GW, Damji KF. Advanced glaucoma: management pearls. *Middle East Afr J Ophthalmol.* 2013; 20(2): 131-41.
49. Gessesse GW. The Ahmed Glaucoma Valve in Refractory Glaucoma: Experiences in Southwest Ethiopia. *Ethiop J Health Sci.* 2015; 25(3):267-72.
50. Giorgis AT. Initial clinical experience of tube-shunt surgery in Ethiopian patients with refractory glaucoma. *Ethiop Med J.* 2012; 50(2): 159-65.
51. Giorgis AT. Raising public awareness of glaucoma in Ethiopia. *Community Eye Health.* 2012; 25(79-80): 46.
52. Giorgis AT, Mulugeta A, Aga A, Deyassa N. The spectrum of glaucoma presentation at Menelik II Hospital, Addis Ababa. *Ethiop Med J.* 2012; 50(3): 259-64.
53. Mehari, T., et al. Level of adherence to ocular hypotensive agents and its determinant factors among glaucoma patients in Menelik II Referral Hospital, Ethiopia. *BMC Ophthalmol.* 2016; 16: 131.
54. Melka F, Alemu b. The pattern of glaucoma in Menelik II Hospital Addis Ababa, Ethiopia. *Ethiop Med J.* 2006; 44(2): 159-65.
55. Tamrat L, Gessesse GW, Gelaw Y. Adherence to topical glaucoma medications in Ethiopian patients. *Middle East Afr J Ophthalmol.* 2015;22(1):59-63
56. Tenkir A, Bekele S, Solomon B. Weill Marchesani syndrome with chronic angle closure glaucoma in Ethiopia: a case report. *Ethiop Med J.* 2009; 47(1):81-3.

57. Tenkir A, Solomon B, Deribew A. Glaucoma awareness among people attending ophthalmic outreach services in Southwestern Ethiopia. *BMC Ophthalmol.* 2010; 10: 17.
58. Tenkir A, Solomon B, Deribew A. Glaucoma subtypes in Ethiopian clinic patients. *J Glaucoma.* 2013; 22(2): 110-6.
59. Tolesa, K. and G. W. Gebreal. Brainstem Anesthesia after Retrobulbar Block: A Case Report and Review of Literature. *Ethiop J Health Sci.* 2016; 26(6): 589-594.

### **Onchocerciasis**

60. Argaw H. Onchocerciasis among school children in Kafa, Southwest Ethiopia. *Ethiop Med J.* 1999; 37:223-36.
61. Dana D, Debalke S, Mekonnen Z, Kassahun W, Suleman S, Getahun K, Yewhalaw D. A community-based cross-sectional study of the epidemiology of onchocerciasis in unmapped villages for community directed treatment with ivermectin in Jimma Zone, southwestern Ethiopia. *BMC Public Health.* 2015;15:595
62. Deribe K, Meribo K, Gebre T, Hailu A, Ali A, Aseffa A, Davey G. The burden of neglected tropical diseases in Ethiopia, and opportunities for integrated control and elimination. *Parasit Vectors.* 2012; 5:240.
63. Deribew, A., et al. Mortality and Disability-Adjusted Life-Years (Dalys) for Common Neglected Tropical Diseases in Ethiopia, 1990-2015: Evidence from the Global Burden of Disease Study 2015. *Ethiop Med J.* 2017; 55(Suppl 1): 3-14.
64. Dori GU, Belay T, Belete H, PANicker KN, Hailu A. Parasitological and clinic-epidemiological features of onchocerciasis in West Wellega, Ethiopia. *J Parasit Dis.* 2012; 36(1): 10-8.
65. Enk CD, Anteby I, Abramson N, Amer R, Amit Y Bergshtein-Kronhaus T, Cohen E, Greenberg Z, Jonas F, Mayaan S, Marva E, Strauss U, Ben Ezra D. Onchocerciasis among Ethiopian immigrants in Israel. *Isr Med Assoc J.* 2003; 5: 485-8.
66. Figueroa JI, Fuller LC, Abraha A, Hay RJ. Dermatology in southwestern Ethiopia: rationale for a community approach. *Int J Dermatol.* 1998; 37: 752-8.
67. Gebre-Michael T, Malone JB, McNally K. Use of Geographic Information System in the development of prediction models for onchocerciasis control in Ethiopia. *Parasitology.* 2005; 47; 135-44.
68. Hadis M, Wilson MD, Cobblah M, Boakye DA. Cytotaxonomic description of *Simulium kaffaense*, a new member of the *S. damnosum* complex (Diptera: Simuliidae) from south-western Ethiopia. *Am Trop Med Parasitol.* 2005; 99: 267-91.
69. Hailu A, Balcha F, Birrie H, Berhe N, Aga A, Mengistu G, Bezuneh A, Ali A, Gebre-Michael T, Gemetchu T. Prevalence of onchocercal skin disease and infection among workers of coffee plantation farms in Teppi, southwestern Ethiopia. *Ethiop Med J.* 2002; 40:259-69.

70. Karunamoorthi K, Kassa E, Endale A. Knowledge and beliefs about onchocerciasis among rural inhabitants in an endemic area of Ethiopia. *Inter Health*. 2010; 2:59-64.
71. Kassa E, Endale A. Knowledge and beliefs about onchocerciasis among inhabitants in an endemic area of Ethiopia. *Inter Health*. 2010; 59-64.
72. Lazarov A, Amihai B, Sion-Vardy N. Pruritus and chronic popular dermatitis in an Ethiopian man. *Onchocerciasis (chronic popular onchodermatitis)*. *Arch Dermatol*. 1997; 133: 382-3, 385-6.
73. Mengistu G, Balcha F, Britton S. Clinical presentation of onchocerciasis among indigenous and migrant farmers in southwest Ethiopia. *East Afr Med J*. 1999; 76: 635-8.
74. Mengistu G, Balcha F, Britton S. Co-infection of *Onchocerca volvulus* and intestinal helminthes in indigenous and migrant farmers in southwest Ethiopia. *Ethiop Med J*. 2002; 40:19-27.
75. Meribo, K., et al. Review of Ethiopian Onchocerciasis Elimination Programme. *Ethiop Med J*. 2017; 55(Suppl 1): 55-63.
76. No authors listed. New light shed on the importance and care of onchocercal skin disease. *TDR News*. 1998; 55:5.
77. Oshry T, Lifshitz T, Wender A, Yassur Y. Ocular onchocerciasis in Israel. *Harefuah*. 1995; 128: 80-2, 128, 127. Hebrew.
78. Pressman A, Kandelis Y, Bachar Y, Mogilner G. *Onchocerca volvulus* – a rare cause of a mass in children. *Harefuah*. 1998; 134:31-2, 78. Hebrew.
79. Taye A, Gebre-Michael T, Taticheff S. Onchocerciasis in Gilgel Ghibe River Valley southwest Ethiopia. *East Afr Med J*. 2000; 77: 116-20.
80. Wolf R, Orion E, Matz H. Onchocerciasis (river blindness). *Isr Med Assoc J*. 2003; 5:522-3.
81. Yirga D, Deribe K, Woldemichael K, Wondafrash M, Kassahun W. Factors associated with compliance with community directed treatment with ivermectin for onchocerciasis control in Southwestern Ethiopia. *Parasit Vectors*. 2010;3:48.

### **Refractive Errors**

82. Mehari ZA, Yimer AW. Prevalence of refractive errors among schoolchildren in rural central Ethiopia. *Clin Exp Optom*. 2013; 96(1): 65-9.
83. Desalegn, A., et al. Knowledge, attitude, practice and associated factors towards spectacles use among adults in Gondar town, northwest Ethiopia. *BMC Ophthalmol*. 2016; 16(1): 184.
84. Sewunet SA, Aredo KK, Gedefew M. Uncorrected refractive error and associated factors among primary school children in Debre Markos District, Northwest Ethiopia. *BMC Ophthalmol*. 2014; 14:95

85. Sherwin JC, Lewallen S, Courtright P. Blindness and visual impairment due to uncorrected refractive error in sub-Saharan Africa: review of recent population-based studies. *Br J Ophthalmol.* 2012; 96(7): 927-30.
86. Yared AW, Belaynew WT, Destaye S, Ayanaw T, Zelalem E. Prevalence of refractive errors among school children in Gondar town, northwest Ethiopia. *Middle East Afr J Ophthalmol.* 2012; 19(4): 372-6.

## Trachoma

87. Abera B, Kibret M. Azithromycin, fluoroquinolone and chloramphenicol resistance of non-chlamydia conjunctival bacteria in rural community of Ethiopia. *Indian J Ophthalmol.* 2014 feb; 62(2):236-9.
88. Adamu, Y., et al. Prevalence of Trachoma in Benishangul Gumuz Region, Ethiopia: Results of Seven Population-Based Surveys from the Global Trachoma Mapping Project. *Ophthalmic Epidemiol.* 2016; 23(sup1): 70-76.
89. Adera, T. H., et al. Prevalence of and Risk Factors for Trachoma in Southern Nations, Nationalities, and Peoples' Region, Ethiopia: Results of 40 Population-Based Prevalence Surveys Carried Out with the Global Trachoma Mapping Project. *Ophthalmic Epidemiol.* 2016; 23(sup1): 84-93.
90. Admassu F, Bayu S, Bejiga A, Amare B. Active trachoma two years after three rounds of azithromycin mass treatment in Cheha District Gurage Zone, Southern Ethiopia. *BMC Pediatr.* 2013 Dec 1;13:199.
91. Aiemjoy, K., et al. 'If an Eye Is Washed Properly, It Means It Would See Clearly': A Mixed Methods Study of Face Washing Knowledge, Attitudes, and Behaviors in Rural Ethiopia. *PLoS Negl Trop Dis.* 2016; 10(10): e0005099.
92. Alemayehu W, Melese M, Bejiga A, Worku A, Kadebe W, Fantaye D. Surgery for trichiasis by ophthalmologists versus integrated eye care workers: a randomized trial. *Ophthalmology.* 2004; 111:578-84.
93. Alemayehu W, Melese M, Fredlander E, Worku A, Courtright P. Active trachoma in children in central Ethiopia: association with altitude. *Trans R Soc Trop Med Hyg.* 2005; 99:840-3.
94. Alene GD, Abebe S. Prevalence of risk factors for trachoma in a rural locality of north-western Ethiopia. *East Afr Med J.* 2000; 77: 308-12.
95. Assefa T, Argaw D, Foster A, Schwartz E. Results of trachoma rapid assessment in 11 villages of South Gonder Zone, Ethiopia. *Trop Doct.* 2001; 31:202-4.
96. Ayele B, Ayele B, Gebre T, Moncada J, House JI, Stoller NE, Zhou Z, Porco TC, Gaynor BD, Emerson PM, Schachter J, Keenan JD. Risk factors for ocular chlamydia after three mass azithromycin distributions. *PLoS Negl Trop Dis.* 2011; 5(12): e1441.
97. Ayele B, Belay T, Gebre T, Zerihun M, Amere A, Assefa Y, Habte D, Loh AR, SToller NE, Keenan JD. Association of community antibiotic consumption with clinically active trachoma in rural Ethiopia. *Int. Health.* 2011; 3(4): 282-288.
98. Bejiga A, Alemayehu W. Prevalence of trachoma and its determinants in Dalocha District, Central Ethiopia. *Ophthalmic Epidemiol.* 2001; 8:119-25.

99. Bero, B., et al. Prevalence of and Risk Factors for Trachoma in Oromia Regional State of Ethiopia: Results of 79 Population-Based Prevalence Surveys Conducted with the Global Trachoma Mapping Project. *Ophthalmic Epidemiol.* 2016; 23(6): 392-405.
100. Biebesheimer JB, House J, Hong KC, Lakew T, Alemayehu W. Complete Local Elimination of Infectious Trachoma from Severely Affected Communities After Six Biannual Mass Azithromycin Distributions. *Amer Acad Ophthalmol.* 2009; 116:2047-50.
101. Burton MJ, Rajak SN, Bauer J, Weiss HA, Tolbert SB, Shoo A, Habtamu E, Manjurano A, Emerson PM, Mabey DC, Holland MJ, Bailey RL. Conjunctival transcriptome in scarring trachoma. *Infect Immun.* 2011; 79(1):499-511.
102. Burton MJ, Rajak SN, Hu VH, Ramadhani A, Habtamu E, Massae P, Tadesse Z, Callahan K, Emerson PM, Khaw PT, Jeffries D, Mabey DC, Bailey RL, Weiss HA, Holland MJ. Pathogenesis of progressive scarring trachoma in Ethiopia and Tanzania and its implications for disease control: two cohort studies. *PLoS Negl Trop Dis.* 2015; 13;9(5):e0003763
103. Cevallos V, Whitcher JP, Melese M, Alemayehu W, Yi E, Chidambaram JD, Lee S, Reddy H, Gaynor BD, Lietman TM, Keenan JD. Association of conjunctival bacterial infection and female sex in cicatricial trachoma. *Invest Ophthalmol Vis Sci.* 2012 Aug 7;53(9):5208-12.
104. Chidambaram JD, Melese M, Alemayehu W, Yie E, Prabripotaloong T, Lee DC, Cevallos V, Zhou Z, Whitcher JP, Gaynor BD, Lietman TM. Mass antibiotic treatment and community protection in trachoma control programs. *Clin Infect Dis.* 2004; 39: 95-7.
105. Chidambaram JD, Alemayehu W, Melese M, Lakew T, Yi E, House J, Cevallos V, Zhou Z, Maxey K, Lee DC, Shapiro BL, Srinivasan M, Porco T, Whitcher JP, Gaynor BD, Lietman TM. Effect of a single mass antibiotic distribution on the prevalence of infectious trachoma. *JAMA.* 2006; 295:1142-6.
106. Cumberland P, Edwards T, Hailu G. The impact of community level treatment and preventive intervention on trachoma prevalence in rural Ethiopia. *Inter J Epidem.* 2008; 37: 549-58.
107. Cumberland P, Hailu G, Todd J. Active trachoma in children aged three to nine years in rural communities in Ethiopia: prevalence, indicators and risk factors. *Trans R Soc Trop Med Hyg.* 2005; 99:120-7.
108. Edwards T, Cumberland P, Hailu G, Todd J. Impact of health education on active trachoma in hyperendemic rural communities in Ethiopia. *Ophthalmology.* 2006; 113:548-55.
109. Edwards T, Harding-Esch EM, Hailu G, Andreason A. Risk factors for active trachoma and *Chlamydia trachomatis* infection in rural Ethiopia after mass treatment with azithromycin. *Trop Med Int Health.* 2008; 13(4): 556-65.
110. Ejigu M, Kariuki MM, Ilako DR, Gelaw Y. Rapid trachoma assessment in Kersa District, southwest Ethiopia. *Ethiop J Health Sci.* 2013; 23(1): 1-9.



111. Emerson PM, Ngondi J, Biru E, Patricia GM. Integrating an NTD with one of The Big Three combined Malaria and Trachoma Survey in Amhara region of Ethiopia. *PLoS Negl Trop Dis*. 2008; 2(3).
112. Emerson PM, Rotondo L. Trachoma and Women: Latrine in Ethiopia and surgery in Southern Sudan. *Comm Eye Health Journal*. 2009; 22(70).
113. Gaynor BD, Amza A, Gebresailassie S, Kadri B, Nassirou B, Stoller NE, Yu SN, Cuddapah PA, Keenan JD, Lietman TM. Importance of including borderline cases in trachoma grader certification. *Am J Trop Med Hyg*. 2014 Sep;91(3):577-9.
114. Gebre T, Ayele B, Zerihun M, Genet A, Stoller NE, Zhou Z, House JI, Yu SN, Ray KJ, Emerson PM, Keenan JD, Porco TC, Lietman TM, Gaynor BD. Comparison of annual versus twice-yearly mass azithromycin treatment for hyperendemic trachoma in Ethiopia: a cluster-randomised trial. *Lancet*. 2012; 379(9811): 143-51.
115. Gebre T, Ayele B, Zerihun M, House JI, Stoller NE, Zhou Z, Ray KJ, Gaynor BD, Porco TC, Emerson PM, Lietman TM, Keenan JD. Latrine promotion for trachoma: assessment of mortality from a cluster-randomized trial in Ethiopia. *Am J Trop Med Hyg*. 2011; 85(3): 518-23.
116. Golovaty I, Jones L, Gelaye B, Tilahun M. Access to Water Source, Latrine facilities and other Risk factors of active Trachoma in Ankober, Ethiopia. *PLoS One*. 2009; 4(8).
117. Habtamu E, Rajak SN, Gebre T, Zerihun M, Genet A, Emerson PM, Burton MJ. Clearing the backlog: trichiasis surgeon retention and productivity in northern Ethiopia. *PLoS Negl Trop Dis*. 2011; 5(4): e1014.
118. Habtamu E, Burton M. Clearing the trichiasis backlog: experiences in Amhara, Ethiopia. *Community Eye Health*. 2015; 28(90):38
119. Habtamu E, Wondie T, Aweke S, Tadesse Z, Zerihun M, Zewdie Z, Callahan K, Emerson PM, Kuper H, Bailey RL, Mabey DC, Rajak SN, Polack S, Weiss HA, Burton MJ. Trachoma and Relative Poverty: A Case-Control Study. *PLoS Negl Trop Dis*. 2015; 23;9(11):e0004228.
120. Habtamu, E., et al. Impact of trichiasis surgery on daily living: A longitudinal study in Ethiopia. *Wellcome Open Res*. 2017; 2: 69.
121. Habte D, Gebre T, Zerihun M. Determinants of uptake of Surgical Treatments for Trachomatous Trichiasis in North Ethiopia. *Ophthalmic Epidemiol*. 2008; 15: 328-33.
122. Haile M, Tadesse Z, Gebreselassie S, Ayele B, Gebre T, Yu SN, Stoller NE, Gaynor BD, Porco TC, Emerson PM, Lietman TM, Keenan JD. The association between latrine use and trachoma: a secondary cohort analysis from a randomized clinical trial. *Am J Trop Med Hyg*. 2013 Oct 89(4):717-20.
123. Hammou, J., et al. How schools can help to build healthy, productive lives, free of trachoma." *Community Eye Health*. 2017; 30(98): 39.
124. Haug S, Lakew T, Habtemariam G, Alemayehu W, Cevallos V, Zhou Z, House J, Ray K, Porco T, Rutar T, Keenan J, Lietman TM, Gaynor BD. The decline of pneumococcal resistance after cessation of mass antibiotic distributions for trachoma. *Clin Infect Dis*. 2010; 51(5):571-4.

125. Keenan JD, Ayele B, Gebre T, Zerihun M, Zhou Z, House JI, Gaynor BD, Porco TC, Emerson PM, Lietman TM. Childhood mortality in a cohort treated with mass azithromycin for trachoma. *Clin Infect Dis*. 2011; 52(7): 883-8.
126. Keenan JD, Lakew T, Wondu A, Muluken M. Clinical activity and polymerase chain reaction evidence of Chlamydial Infection after Repeated Mass Antibiotics Treatments for Trachoma. *Am J Trop Med Hyg*. 2010; 82:482-7.
127. Keenan JD, See CW, Moncada J, Ayele B, Gebre T, Stoller NE, McCulloch CE, Porco TC, Gaynor BD, Emerson PM, Schachter J, Lietman TM. Diagnostic characteristics of tests for ocular chlamydia after mass azithromycin distributions. *Invest Ophthalmol Vis Sci*. 2012; 53(1): 235-40.
128. Keenan JD, Klugman KP, McGee L, Vidal JE, Chochua S, Hawkins P, Cevallos V, Gebre T, Tadesse Z, Emerson PM, Jorgensen JH, Gaynor BD, Lietman TM. Evidence for clonal expansion after antibiotic selection pressure: pneumococcal multilocus sequence types before and after mass azithromycin treatments. *J Infect Dis*. 2014 Oct 6
129. Keenan, J. D., et al. Nasopharyngeal Pneumococcal Serotypes Before and After Mass Azithromycin Distributions for Trachoma. *J Pediatric Infect Dis Soc*. 2016; 5(2): 222-226.
130. Kerie A, Bejiga A. Pattern of recurrence of trachomatous trichiasis after surgery in Enemor and Ener districts, Central Ethiopia. *Ethiop Med J*. 2010; 48(4):301-8.
131. Ketema K, Tiruneh M, Woldeyohannes D, Muluye D. Active trachoma and associated risk factors among children in Baso Liben District of East Gojjam, Ethiopia. *BMC Public Health*. 2012; 12: 1105.
132. King JD, Teferi T, Cromwell EA, Zerihun M, Ngondi JM, Damte M, Ayalew F, Tadesse Z, Gebre T, Mulualem A, Karie A, Melak B, Adugna M, Gessesse D, Worku a, Endashaw T, Admassu Ayele F, Stoller NE, King MR, Mosher AW, Gebregzabher T, Haileysus G, Odermatt P, Utzinger J, Emerson PM. Prevalence of trachoma at sub-district level in Ethiopia: determining when to stop mass azithromycin distribution. *PLoS Negl Trop Dis*. 2014 Mar 13;8(3):e2732.
133. King JD, Odermatt P, Utzinger J, Ngondi J, Bamani S, Kamissoko Y, Boubicar K, Hassan AS, Nwobi BC, Jip N, Amnie A, Teferi T, Mosher AW, Stewart AE, Cromwell EA, Emerson PM. Trachoma among children in community surveys from four African countries and implications of using school surveys for evaluating prevalence. *Int Health*. 2013 Dec; 5(4):280-7.
134. King JD, Endeshaw T, Escher E, alemtaye G, Melaku S, Gelaye W, worku A, Adugna M, Melak B, Teferi T, Zerihun M, Gesese D, Tadesse z, Mosher AW, Odermatt P, Utzinger J, Marti H, Ngondi J, Hopkins Dr, Emerson PM. Intestinal parasite prevalence in an area of Ethiopia after implementing the SAFE strategy, enhanced outreach services, and health extension program. *PLoS Negl Trop Dis*. 2013 Jun 6;7(6):e2223.
135. Lakew T, Wondu A, Muluken M, Yi E. Importance of Coverage and Endemicity on the Return of Infectious Trachoma after a single Mass Antibiotic Distribution. *PLoS Negl Trop Dis*. 2009; 3(8).

136. Lakew T, House J, Kevin HC. Reduction and Return of Infectious Trachoma in severely Affected Communities in Ethiopia. *PLoS Negl Trop Dis*. 2009; 3(2).
137. Lietman TM, Gebre T, Ayele B, Ray KJ, Maher MC, See CW, Emerson PM, Porco TC; TANA Study Group. The epidemiological dynamics of infectious trachoma may facilitate elimination. *Epidemics*. 2011; 3(2): 119-24.
138. Melese M, Alemayehu W, Lakew T, Yi E, House J. Comparison of Annual and Biannual Mass Antibiotic Administration for Elimination of Infectious Trachoma. *JAMA*. 2008; 299(7): 819-21.
139. Melese M, Alemayehu W, Worku A. Trichiasis among close relatives, central Ethiopia. *Ethiop Med J*. 2004; 42:255-9.
140. Melese M, Chidambaram JD, Alemayehu W, Lee DC, Yie EH, Cevallos V, Zhou Z, Donnellan C, Saidel M, Whitcher JP, Gaynor BD, Lietman TM. Feasibility of eliminating ocular *Chlamydia trachomatis* with repeat mass antibiotic treatments. *JAMA*. 2004; 292:721-5.
141. Melese M, West ES, Alemayehu W, Munoz B, Worku A, Gaydos CA, West SK. Characteristics of trichiasis patients presenting for surgery in rural Ethiopia. *Br J Ophthalmol*. 2005; 89: 1084-8.
142. Mesfin MM, de la Camera J, Tareke IG, Amanual G, Araya T, Kedir AM. A community-based trachoma survey: prevalence and risk factors in the Tigray region of northern Ethiopia. *Ophthalmic Epidemiol*. 2006; 13: 173-81.
143. Miller K, Pakpour N, Yie E, Melese M, Alemayehu W, Bird M, Schmidt G, Cevallos V, Olinger L, Chidambaram J, Gaynor B, Whitcher J, Lietman T. Pesky trachoma suspect finally caught. *Br J Ophthalmol*. 2004; 88:750-1.
144. Miller K, Schmidt G, Melese M, Alemayehu W, Yie E, Cevallos V, Donnellan C, Olinger L, Fantaye D, Gaynor B, Whitcher JP, Lietman T. How reliable is the clinical exam in detecting ocular chlamydial infection? *Ophthalmic Epidemiol*. 2004; 11:255-62.
145. Morberg DP, Amza A, Gebresillasie S, Tadesse Z, Yu SN, Stoller NE, Emerson PM, Gaynor BD, Lietman TM, Keenan JD. Follicle size in trachoma: assessment of a well-known trachoma grading diagram. *Br J Oph*. 2014; 98(5):706-8. (Epub 2014 Feb)
146. Ngondi J, Gebre T, Estifanos SB, Patricia GM. Risk factors for active trachoma in children and trichiasis in Adults: a household survey in Amhara Regional State, Ethiopia. *Trans R Soc Trop Med Hyg*. 2008; 102: 432-8.
147. Ngondi J, Gebre T, Estifanos SB. Evaluation of three years of the SAFE strategy (Surgery, Antibiotics, Facial cleanliness and Environmental improvement) for Trachoma control in five districts of Ethiopia hyperendemic for trachoma. *Trans R Soc Trop Med Hyg*. 2009; 103: 1001-10.
148. Ngondi J, Gebre T, Shargie BE, Adamu L, Estimation of effects of community intervention with Antibiotics, facial cleanliness, and environmental improvement (A, F, E) in five districts of Ethiopia hyperendemic for trachoma. *Br J Ophthalmol*. 2010; 94: 278-81.

149. Ngondi J, Teferi T, Gebre T. Effect of a community intervention with pit latrines in five districts in Amhara, Ethiopia. *Trop Med Int Health*. 2010; 15(5): 592-99.
150. Nigusie A, Berhe R, Gedefaw M. Prevalence and associated factors of active trachoma among children aged 1-9 years in rural communities of Gonji Kolella district, West Gojjam zone, North West Ethiopia. *BMC Res Notes*. 2015; 4;8:641.
151. Oswald, W. E., et al. Active trachoma and community use of sanitation, Ethiopia. *Bull World Health Organ*. 2017; 95(4): 250-260.
152. Pearson K, Habte D, Zerihun M, King JD, Gebre T, Emerson PM, Reacher MH, Ngondi JM. Evaluation of community-based trichiasis surgery in northwest Ethiopia. *Ethiopia J Health Sci*. 2013 Jul;23(2):131-40
153. Porco TC, Gebre T, Berhan A, House J. Effect of Mass Distribution of Azithromycin for Trachoma control on overall mortality in Ethiopian children. *JAMA*. 2009; 302(9):962-8.
154. Rahman SA, Yu SN, Amza A, Gebreselassie S, Kadri B, Baido N, Stoller NE, Sheehan JP, Porco TC, Gaynor BD, Keenan JD, Lietman TM. Reliability of trachoma clinical grading-assessing grading of marginal cases. *PLoS Negl Trop Dis*. 2014 May 1;8(5):e2840.
155. Rajak SN, Habtamu E, Weiss HA, Kello AB, Abera B, Zerihun M, Gebre T, Gilbert CE, Khaw PT, Emerson PM, Burton MJ. The outcome of trachomatous trichiasis surgery in Ethiopia: risk factors for recurrence. *PLoS Negl Trop Dis*. 2013 Aug 22;7(8):e2392.
156. Rajak SN, Habtamu E, Weiss HA, Bedri A, Gebre T, Bailey RL, Mabey DC, Khaw PT, Gilbert CE, Emerson PM, Burton MJ. The clinical phenotype of trachomatous trichiasis in Ethiopia: not all trichiasis is due to entropion. *Invest Ophthalmol Vis Sci*. 2011; 52(11): 7974-80.
157. Rajak SN, Habtamu E, Weiss HA, Bedri A, Zerihun M, Gebre T, Gilbert CE, Emerson PM, Burton MJ. Why do people not attend for treatment for trachomatous trichiasis in Ethiopia? A study of barriers to surgery. *PLoS Negl Trop Dis*. 2012; 6(8): e1766.
158. Rajak SN, Habtamu E, Weiss HA, Kello AB, Gebre T, Genet A, Bailey RL, Mabey DC, Khaw PT, Gilbert CE, Emerson PM, Burton MJ. Absorbable versus silk sutures for surgical treatment of trachomatous trichiasis in Ethiopia: a randomized controlled trial. *PLoS Med*. 2011; 8(12): e1001137.
159. Rajak SN, Habtamu E, Weiss HA, Kello AB, Gebre T, Genet A, Bailey RL, Mabey DC, Khaw PT, Gilbert CE, Emerson PM, Burton MJ. Surgery versus epilation for the treatment of minor trichiasis in Ethiopia: a randomized controlled noninferiority trial. *PLoS Med*. 2011; 8(12): e1001136.
160. Ray KJ, Lietman TM, Porco TC, Keenan JD, Bailey RL, Solomon AW, Burton MG, Harding-Esch E, Holland MJ, Mabey D. When Can Antibiotic Treatments for Trachoma Be Discontinued? Graduating Communities in Three African Countries. *PLoS Negl Trop Dis*. 2009; 3(6):e458.
161. Regassa K, Teshome T. Trachoma among adults in Damot Gale District, South Ethiopia. *Ophthalmic Epidemiol*. 2004; 11: 9-16.

162. Roba AA, Patel D, Zondervan M. Risk of trachoma in a SAFE intervention area. *Int Ophthalmol.* 2013; 33(1): 53-9.
163. Roba AA, Wondimu A, Patel D, Zondervan M. Effects of intervention with the SAFE strategy on trachoma across Ethiopia. *J Epidemiol Community Health.* 2010.
164. Roba AA, Zondervan M, Patel D. Trachoma visual impairment in a SAFE area in Ethiopia. *Trop Doct.* 2010; 40(3):157-9.
165. Schachterle SE, Mtove G, Levens JP, Clemens E, Shi L, Raj A, Dumler JS, Munoz B, West S, Sullivan DJ. Short-term malaria reduction by single-dose azithromycin during mass drug administration for trachoma, Tanzania. *Emerg Infect Dis.* 2014 Jun;20(6):941-9.
166. See CW, Alemayehu W, Melese M, Zhou Z, Porco TC, Shiboski S, Gaynor BD, Eng J, Keenan JD, Lietman TM. How reliable are tests for trachoma? – a latent class approach. *Invest Ophthalmol Vis Sci.* 2011; 52(9): 6133-7.
167. Shah NA, House J, Lakew T, Alemayehu W, Halfpenny C, Hong KC, Keenan JD, Porco TC, Whitcher JP, Lietman TM, Gaynor BD. Travel and implications for the elimination of trachoma in Ethiopia. *Ophthalmic Epidemiol.* 2010; 17(2):113-7.
168. Sherief, S. T., et al. The Prevalence of Trachoma in Tigray Region, Northern Ethiopia: Results of 11 Population-Based Prevalence Surveys Completed as Part of the Global Trachoma Mapping Project. *Ophthalmic Epidemiol.* 2016; 23(sup1): 94-99.
169. Skalet AH, Cevallos V, Ayele B, Gebre T, Zhou Z, Jorgensen JH, Zerihun M, Habte D, Assefa Y, Emerson PM, Gaynor BD, Porco TC, Lietman TM, Keenan JD. Antibiotic selection pressure and macrolide resistance in nasopharyngeal *Streptococcus pneumoniae*: a cluster-randomized clinical trial. *PLoS Med.* 2010; 7(12):e1000377.
170. Smith AF, Broman AT, Alemayehu W, Munoz BE, West SK, Gower EW. Relationship between Trachoma and Chronic Acute Malnutrition in Children in Rural Ethiopia. *J Trop Pediat.* 2007; 53(5):308-12.
171. Sodhi PK, Verma L. Surgery for trichiasis. *Ophthalmology.* 2004; 111:2147-8.
172. Stoller NE, Gebre T, Ayele B, Zerihun M, Assefa Y, Habte D, Zhou Z, Porco TC, Keenan JD, House JI, Gaynor BD, Lietman TM, Emerson PM. Efficacy of latrine promotion on emergence of infection with ocular *Chlamydia trachomatis* after mass antibiotic treatment: a cluster-randomized trial. *Int Health.* 2011; 3(2): 75-84.
173. Tadesse Z, Afework H, Jan KH. Potential for integrated control of neglected tropical diseases in Ethiopia. *Trans R Soc Trop Med Hyg.* 2008; 102:213-14.
174. Tadesse, D., et al. HEAD START - an innovative training approach for life-long learning. *Community Eye Health.* 2017; 30(97): 14.
175. Woreta TA, Munoz BE, Gower EW, Alemayehu W, West SK. Effect of Trichiasis Surgery on Visual Acuity Outcomes in Ethiopia. *Arch Ophthalmol.* 2009;127(11):1505-10.

176. West ES, Alemayehu W, Munoz B, Melese M, Imeru A, West SK. Surgery for Trichiasis, Antibiotics to prevent Recurrence (STAR) Clinical Trial methodology. *Ophthalmic Epidemiol.* 2005; 12: 279-86.
177. West ES, Munoz B, Imeru A, Alemayehu W, Melese M, West SK. The association between epilation and corneal opacity among eyes with trichomatous trichiasis. *Br J Ophthalmol.* 2006; 90:171-4.
178. West S, Alemayehu W, Munoz B, Gower EW. Azithromycin Prevents Recurrence of Severe Trichiasis Following Trichiasis Surgery: STAR Trial. *Ophthalmic Epidemiol.* 2007; 14:273-77.
179. West SK, West ES, Alemayehu W, Melese M, Munoz B, Imeru A, Worku A, Gaydos C, Meinert CL, Quinn T. Single-dose azithromycin prevents trichiasis recurrence following surgery: randomized trial in Ethiopia. *Arch Ophthalmol.* 2006; 124: 309-14.
180. Wolle MA, Cassard SD, Gower EW, Munoz BE, Wang J, Alemayehu W, West SK. Impact of Trichiasis surgery on physical functioning in Ethiopian patients: STAR trial. *Am J Ophthalmol.* 2011; 151(5): 850-7.
181. Wondimu A, Bejiga A. Prevalence of trichomatous trichiasis in the community of Alaba District, Southern Ethiopia. *East Afr Med J.* 2003; 80:365-8.
182. Woreta F, Munoz B, Gower E, Alemayehu W, West SK. Three-year outcomes of the surgery for trichiasis, antibiotics to prevent recurrence trial. *Arch Ophthalmol.* 2012; 130(4): 427-31.
183. Yalew KN, Mekonnen MG, Jemaneh AA. Trachoma and its determinants in Mojo and Lume districts of Ethiopia. *Pan Afr Med J.* 2012; 13 Suppl 1:8.
184. Yang JL, Schachter J, Moncada J, Habte D, Zerihun M, House JI, Zhou Z, Hong KC, Maxey K, Gaynor BD, Lietman TM. Comparison of an rRNA-based and DNA-based nucleic acid amplification test for the detection of *Chlamydia trachomatis* in trachoma. *Br J Ophthalmol.* 2007; 91(3):293-5.
185. Zerihun N. Trachoma in Jimma Zone, south western Ethiopia. *Trop Med Int Health.* 1997; 2:1115-21.

### **Vitamin A**

186. Asrat YT, Omwega AM, Muita JW. Prevalence of vitamin A deficiency among pre-school and school-aged children in Arssi Zone, Eastern Ethiopia. *East Afr Med J.* 2002; 79:355-9.
187. Bekele A, Asres G, Wondimkun Y, Assefa Y, Reissig D. Conjunctival impression cytology and detection of vitamin A deficiency in pregnant women, Gondar, Northwest Ethiopia. *Ethiop Med J.* 2012; 50(1): 23-30.
188. Belda, K., et al. Measles outbreak investigation in Guji zone of Oromia Region, Ethiopia. *Pan Afr Med J.* 2017; 27(Suppl 2): 9.
189. Demilew, Y. M. and A. Asres Nigussie. Knowledge of Health Professionals on Folic Acid Use and Their Prescribing Practice in Bahir Dar City Administration, Northwest Ethiopia: Cross-Sectional Study. *PLoS One.* 2017; 12(1): e0170116.

190. Demissie T, Ali A, Mekonen Y, Haider J, Umeta M. Magnitude and Distribution of vitamin A deficiency in Ethiopia. *Food Nutr Bull.* 2010; 31(2):234-41.
191. Desyibelew, H. D., et al. Recovery rate and associated factors of children age 6 to 59 months admitted with severe acute malnutrition at inpatient unit of Bahir Dar Felege Hiwot Referral hospital therapeutic feeding unite, northwest Ethiopia. *PLoS One.* 2017; 12(2): e0171020.
192. Gebreamlak, B., et al. High Adherence to Iron/Folic Acid Supplementation during Pregnancy Time among Antenatal and Postnatal Care Attendant Mothers in Governmental Health Centers in Akaki Kality Sub City, Addis Ababa, Ethiopia: Hierarchical Negative Binomial Poisson Regression. *PLoS One.* 2017;12(1): e0169415.
193. Gebremedhin S, Enquesselassie F, Umeta M. Independent and joint effects of prenatal Zinc and Vitamin A deficiencies on birthweight in rural Sidama, Southern Ethiopia: prospective cohort study. *PLoS One.* 2012; 7(12): e50213.
194. Gebreselassie SG, Gase FE, Deressa MU. Prevalence and correlates of prenatal vitamin A deficiency in rural Sidama, Southern Ethiopia. *J Health Popul Nutr.* 2013; 31(2): 185-94.
195. Getaneh T, Assefa A, Tadesse Z. Dietary practices and xerophthalmia in under-fives in Jimma town, southwest Ethiopia. *East Afr Med J.* 2000; 77:313-15.
196. Haidar J, Demissie T, Malnutrition and xerophthalmia in rural communities of Ethiopia. *East Afr Med J.* 1999; 76:590-3.
197. Haidar J, Tsegaye D, Mariam DH, Tibeb HN, Muroki NM. Vitamin A supplementation on child morbidity. *East Afr Med J.* 2003; 80:17-21.
198. Hunegnaw, M. T., et al. Exclusive breastfeeding and associated factors among mothers in Gozamin district, northwest Ethiopia: a community based cross-sectional study. *Int Breastfeed J.* 2017; 12: 30.
199. Kassaye T, Receveur O, Johns T, Becklake MR. Prevalence of vitamin A deficiency in children aged 6-9 years in Wurko, northern Ethiopia. *Bull World Health Organ.* 2001; 79:415-22.
200. Kassaye T, Becklake MR, Receveur O, Hanley JA, Johns T. Association between vitamin A status and lung function level in children aged 6-9 years in Worku, Northern Ethiopia. *Int J Epidemiol.* 2001; 30:457-64.
201. Kumssa, D. B., et al. Challenges and opportunities for Moringa growers in southern Ethiopia and Kenya. *PLoS One.* 2017; 12(11): e0187651.
202. Lemma F, Mariam AG. Xerophthalmia and malnutrition among pre-school children in Agaro town south-west Ethiopia. *East Afr Med J.* 1996; 73:179-81.
203. Moore DB, Shirefaw W, Tomkins-Netzer O, Eshete Z, Netzer-Tomkins H, Ben-Zion I. Prevalence of xerophthalmia among malnourished children in rural Ethiopia. *Int Ophthalmol.* 2013; [Epub ahead of print].
204. Semba RD, de Pee S, Sun K, Martin BW. Coverage of the National Vitamin A supplementation program in Ethiopia. *J Trop Ped.* 2008; 54(2):141-4.

205. Tadesse, S. E., et al. Determinants of anemia among pregnant mothers attending antenatal care in Dessie town health facilities, northern central Ethiopia, unmatched case-control study. *PLoS One*. 2017; 12(3): e0173173.
206. Tafesse Y, Fisseha T, Umeta M, Hidar J, Hautvast JG. Factors associate with stunting in infants aged 5-11 months in the Dodota-Sire District, rural Ethiopia. *J Nutr*. 2003; 133:1064-9.
207. Tariku, A., et al. Child wasting is a severe public health problem in the predominantly rural population of Ethiopia: A community based cross-sectional study. *Arch Public Health*. 2017; 75: 26.
208. Wondmikun Y. Dark adaptation pattern of pregnant women as an indicator of functional disturbance at acceptable serum vitamin A levels. *Eur J Clin Nutr*. 2002; 56:462-6.
209. Wondmikun Y. Lipid-soluble antioxidants status and some of its socio-economic determinants among pregnant Ethiopians at the third trimester. *Public Health Nutr*. 2005; 8:582-7.

#### **Others**

210. Abateneh, A, Tesfaye, M, Bekele, S, Gelaw Y. Vision loss and psychological distress among Ethiopian adults: A comparative cross-sectional study. *PLOS* 2013;8:10
211. Alemayehu W, Shamebo M, Bedri A, Mengistu Z. Ocular manifestations of leukaemia in Ethiopians. *Ethiop Med J*. 1996; 34:217-24.
212. Anagaw B, Biadglegne F, Belyhun Y, Anagaw B, Mulu A. Bacteriology of ocular infections and antibiotic susceptibility pattern in Gondar University Hospital, north west Ethiopia. *Ethiop Med J*. 2011; 49(2): 117-23.
213. Bekele S, Gelaw Y, Tessema F. Ocular manifestation of HIV/AIDS and correlation with CD4+ cells count among adult HIV/AIDS patients in Jimma town, Ethiopia: a cross sectional study. *BMC Ophthalmol*. 2013; 13:20.
214. Biza M, Mossie A, Woldemichael K, Gelaw Y. Visual impairment and road traffic accidents among drivers in Jimma Town, Southwest Ethiopia. *Ethiop Med J*. 2013; 51(2):123-32.
215. Kasis I, Lak L, Adler J, Choni R, Shazberg G, Fekede TD, Shoshani E, Miller D, Heyman S. Medical relief operation in rural northern Ethiopia: addressing an ongoing disaster. *Isr Med Assoc J*. 2001; 87:677-80.
216. Korneev IM, Beliaev VS, Shinaev NN. Features of the course and treatment of several eye diseases in Eastern Africa. *Vestn Oftalmol*. 1998; 114(3):38-42. Russian.
217. Negussie D, Bejjiga A. Ocular emergencies presenting to Menelik II Hospital. *Ethiop Med J*. 2011; 49(1): 17-24.
218. Nentwich MM, Schaller UC, Klauss V. Reasons reported by African ophthalmologists for staying in Africa and for considering migrating. *Int Ophthalmol*. 2014 Aug; 34(4):887-92.



219. Seyoum B, Mengistu Z, Berhanu P, Abdulkadir J, Fekete Y, Worku Y, Ayana G. Retinopathy in patients of Tikur Anbessa Hospital diabetic clinic. *Ethiop Med J.* 2001; 39:123-31.
220. Sharew G, Ilako Dr, Kimani K, Gelaw Y. Prevalence of diabetic retinopathy in Jimma University Hospital, Southwest Ethiopia. *Ethiop Med J.* 2013 Apr;51(2):105-13.
221. Sharew G, Azage M. Predictors of HIV/AIDS Related Ocular Manifestations among HIV/AIDS Patients in Felege Hiwot Referral Hospital, Northwest Ethiopia. *J Ophthalmol.* 2015;2015:965627
222. Shifa, J., et al. A case of bilateral visual loss after spinal cord surgery. *Pan Afr Med J.* 2016; 23: 119.
223. Taju S, Tilahun Y, Ayalew M, Fikrie N, Schneider J, Kempen JH. Diagnosis and treatment of microsporidial keratoconjunctivitis: literature review and case series. *J Ophthalmic Inflamm Infect.* 2011; 1(3): 105-10.
224. Tyers J. Preventing blindness in Africa. *Aust Nurs J.* 2011; 19(6): 5.
225. Zerihun N. Ocular morbidity at a small eye unit in Jimma town, south western Ethiopia: a three year analysis. *East Afr Med J.* 1994; 71(7): 470-2.