



KCCO Tanzania
P.O. Box 2254 | Moshi, Tanzania

KCCO International
Division of Ophthalmology
H53 OMB, Groote Schuur Hospital
Observatory, 7925, South Africa

www.kcco.net

MALAWI

Articles on Eye Care or Ophthalmology [1995 - 2017]

Blindness surveys

1. Courtright P, Hoeschmann A, Metcalfe N, Chirambo M, Noertjojo K, Barrows J, Katz J. Changes in Blindness prevalence over 16 years in Malawi: reduced prevalence but increased numbers of Blind. *Br J Ophthalmol*. 2003;87: 1079-1082.
2. Kalua K, Lindfield R, Mtupanyama M, Mtumodzi D, Msiska V. Findings from a rapid assessment of avoidable blindness (RAAB) in Southern Malawi. *PLoS One*. 2011; 6(4): e19226.
3. Sherwin JC, Dean WH, Metcalfe NH. Causes of blindness at Nkhoma Eye Hospital, Malawi. *Eur J Ophthalmol*. 2008;18:1002-1006.

Cataract

4. Courtright P, Kanjaloti S, Lewallen S. Barriers to acceptance of cataract surgery among patients presenting to district hospital in rural Malawi. *Trop Geogr Med*. 1995; 47: 15-8.
5. Courtright P, Metcalfe N, Hoeschmann A, Chirambo M, Lewallen S. Cataract surgery coverage and outcome of cataract surgery in a rural district in Malawi. *Can J Ophthalmol*. 2004; 39:25-30.
6. Courtright P, Ndegwa L, Msosa J, Banzi J. Use of our existing eye care human resources (assessment of the productivity of cataract surgeons trained in East Africa). *Arch Ophthalmol*. 2007;125:684-687.
7. Courtright, P., et al. Setting targets for human resources for eye health in sub-Saharan Africa: what evidence should be used? *Hum Resour Health*. 2016; 14: 11.
8. Dean WH, Patel D, Sherwin JC, Metcalfe NH. Follow-up survey of cataract surgical coverage and barriers to cataract surgery at Nkhoma, Malawi. *Ophthalmic Epidemiol*. 2011; 18(4): 171-8.

9. Dean WH, Sherwin JC, Kumwenda S, Angeletti M, Wiehler U. Willingness to pay for cataract surgery in post-operative cataract patients in rural Malawi. *Ophthalmic Epidemiol.* 2012; 19(5): 265-71.
10. Elfoff J, Foster A. Cataract surgical coverage: results of a population-based survey at Nkhoma, Malawi. *Ophthalmic Epidemiol.* 2000; 7: 219-21.
11. Eliah E, Lewallen S, Kalua K, Courtright P, Gichangi M, Bassett K. Task shifting for cataract surgery in eastern Africa: productivity and attrition of non-physician cataract surgeons in Kenya, Malawi and Tanzania. *Hum Resour Health.* 2014;12 Suppl 1:S4.
12. Eliah E, Lewallen S, Kalua K, Courtright P, Gichangi M, Bassett K. Task shifting for cataract surgery in eastern Africa: productivity and attrition of non-physician cataract surgeons in Kenya, Malawi and Tanzania. *BMC Human Resources for Health* 2014;12(Suppl 1):S4
13. Glover SJ, Burgess PI, Cohen DB, Harding SP, Hofland HW, Zijlstra EE, Allain TJ. Prevalence of diabetic retinopathy, cataract, and visual impairment in patients with diabetes in sub-Saharan Africa. *Br J Ophthalmol.* 2012; 96(2): 156-61.
14. Lewallen S, Etya'ale D, Kello AB, Courtright P. Non-physician cataract surgeons in Sub-Saharan Africa: situation analysis. *Trop Med Int Health.* 2012; [Epub ahead of print].
15. Msamati BC, Igbigbi PS, Batumba NH. Prevalence of lens opacity at Queen Elizabeth Central Hospital in Blantyre, Malawi. *East Afr Med J.* 2000; 77: 583-87.
16. Schulze Schwering M, Msukwa G, Spitzer MS, Kalua K. Pediatric cataract surgery in Malawi. *Ophthalmologe.* 2013; [Epub ahead of print].
17. Schulze Schwering M, Finger RP, Barrows J, Nyrenda M, Kalua K. Barriers to uptake of free pediatric cataract surgery in Malawi. *Ophthalmic Epidemiol.* 2014 Jun;21(3):138-43.
18. Sherwin JC, Dean WH, Schaefers I, Courtright P, Metcalfe N. Outcomes of manual small-incision cataract surgery using standard 22 dioptre intraocular lenses at Nkhoma Eye Hospital, Malawi. *Int Ophthalmol.* 2012; 32(4): 341-7.

Childhood blindness

19. Evans CT, Lenhart PD, Lin D, Yang Z, Daya T, Kim YM, Seneadza A, Mboni C, Msukwa G, Lewallen S, Courtright P. A cost analysis of pediatric cataract surgery at two child eye health tertiary facilities in Africa. *J AAPOS.* 2014 Dec;18(6):559-62
20. Gilbert CE, Wood M, Waddell K, Foster A. Causes of childhood blindness in east Africa: results in 491 pupils attending 17 schools for the blind in Malawi, Kenya and Uganda. *Ophthalmic Epidemiol.* 1995;2: 77-84.
21. Kalua K, Ng'ongola RT, Mbewe F, Gilbert C. Using primary health care (PHC) workers and key informants for community based detection of blindness in children in Southern Malawi. *Hum Resour Health.* 2012; 10(1): 37.
22. Kalua K, Patel D, Muhit M, Courtright P. Productivity of Key Informants for identifying blind children: evidence from a pilot study in Malawi. *Eye.* 2009;23:7-9.

23. Kalua K, Patel D, Muhit M, Courtright P. Causes of blindness among children identified through village key informants in Malawi. *Can J Ophthalmol*. 2008;43:425-7.
24. Lynch P, McCall S. Impact of Educational Inclusion on Children with Visual Impairment in Malawi. *The Educator*. 22(2):28-32.
25. Msukwa G, Njuguna M, Tumwesigye C, Shilio B, Courtright P, Lewallen S. Cataract in children attending schools for the blind and resource centers in Eastern Africa. *Journal of Ophthalmol*. 2009;116:1009-1012.
26. Njuguna M, Msukwa G, Shilio B, Tumwesigye C, Courtright P, Lewallen S. Causes of severe visual impairment and blindness in children in schools for the blind in Eastern Africa: changes in the last 14 years. *Ophthalmic Epidemiol*. 2009;16: 151-55.
27. Schulze Schwering M, Nyrenda M, spritzer MS, Kalua K. Visual impairment and blindness in children in a Malawian school for the blind. *Klin Monbl augenheilkd*. 2013 Aug; 230(8):820-4.
28. Sherwin JC, Dean WH, Metcalfe N. Screening for childhood blindness and visual impairment in a secondary school in rural Malawi. *Eye (Lond)*. 2011;25(2):256-7.
29. Tumwesigye C, Msukwa G, Njuguna M, Shilio B, Courtright P, Lewallen S. Inappropriate enrolment of children in schools for the visually impaired in East Africa. *Ann Trop Paed*. 2009;29:135-39.

HIV/AIDS

30. Beare NAV, Kublin JG, Lewis DK, Schijffelen MJ, Peters RPH, Joaki G, Kumwenda J, Zijlstra EE. Ocular disease in patients with tuberculosis and HIV presenting with fever in Africa. *Br J Ophthalmol*. 2002;86:1076-1079.
31. Mankhambo LA, Makwana NV, Carrol ED, Beare NA, Kampondeni S, Molyneux E. Persistent visual loss as a complication of Meningococcal Meningitis. *Pediatr Infect Dis J*. 2006;25(6):566-67.
32. Schulze Schwering M, Kayange P, van Oosterhout JJ, Spitzer MS. Severe eye complications from stevens-johnson syndrome in a human immunodeficiency virus-infected patient in Malawi. *Am J Trop Med Hyg*. 2013; 89(1): 162-4.
33. Spitzer MS, Batumba NH, Chirambo T, Bartz-Schmidt KU, Kayange P, Kalua K, Szurman P. Ocular surface squamous neoplasia as the first apparent manifestation of HIV infection in Malawi. *Clin Experiment Ophthalmol*. 2008;36(5):422-5.
34. Spitzer MS, Chirambo T, Kayange P, Szurman P, Yoeruek E, Bartz-Schmidt KU, Batumba HN. The influence of the HIV pandemic on the incidence of malignant ocular tumours in Southern Malawi (Blantyre). *Ophthalmologie*. 2009; 106(9): 813-8.
35. Tiong T, Borooah S, Msosa J, Dean W, Smith C, Kambewa E, Kilre C, Zondervan M, ASpinall P, Dhillon B. Clinicopathological review of ocular surface squamous neoplasia in Malawi. *Br J Ophthalmol*. 2013; 97(8): 961-4.

Malaria

36. Barrera V, Hiscott PS, Craig AG, White VA, Milner DA, Beare NA, MacCormick IJ, Kamiza S, Taylor TE, Molyneux ME, Harding SP. Severity of retinopathy parallels the degree of parasite sequestration in the eyes and brains of malawian children with fatal cerebral malaria. *J Infect Dis.* 2015; 15;211(12):1977-86
37. Beare NA, Southern C, Chalira C, Taylor TE, Molyneux ME, Harding SP. Prognostic significance and courses of Retinopathy in children with severe Malaria. *Arch Ophthalmol.* 2004;122:1141-1147.
38. Beare NAV, Southern C, Kayira K, Taylor TE, Harding SP. Visual outcomes in children in Malawi following retinopathy of severe malaria. *Br J Ophthalmol.* 2004;88:321-24.
39. Beare NAV, Riva CE, Taylor TE, Molyneux ME, Kayira K, White VA, Lewallen S, Harding SP. Changes in optic nerve head blood flow in children with cerebral malaria and acute papilloedema. *J Neurol Neurosurg Psychiatry.* 2006;77:1288-1290.
40. Beare NAV, Kampondeni S, Glover SJ, Molyneux E, Taylor TE, Harding SP, Molyneux ME. Detection of raised intracranial pressure by ultrasound measurement of optic nerve sheath diameter in African children. *Trop Med Int Health.* 2008;13:1400-1404.
41. Beare NAV, Taylor TE, Harding SP, Lewallen S, Molyneux ME. Malaria Retinopathy: A newly established diagnostic sign in severe Malaria. *Am J Trop Med Hyg.* 2006;75:790-95.
42. Beare NAV, Harding SP, Taylor TE, Lewallen S, Molyneux ME. Perfusion abnormalities in children with Cerebral Malaria and Malaria Retinopathy. *J of Infect Dis.* 2009;199: 263-71.
43. Birbeck GL, Molyneux ME, Kaplan PW, Seydel KB, Chimalizeni YF, Kawaza K, Taylor TE. Blantyre Malaria Project Epilepsy Study (BMPES) of neurological outcomes in retinopathy-positive paediatric cerebral malaria survivors: a prospective cohort study. *Lancet Neurol.* 2010; 9(12): 1173-81.
44. Boivin MJ, Gladstone MJ, Vokhiwa M, Birbeck GL, Magen JG, Page C, Semrud-Clikeman M, Kauye F, Taylor TE. Developmental outcomes in Malawian children with retinopathy-positive cerebral malaria. *Trop Med Int Health.* 2011; 16(3): 263-71.
45. Brown H, Rogerson S, Taylor T, Tembo M, Mwenechanya J, Molyneux M, Turner G. Blood-brain barrier function in cerebral malaria in Malawian children. *Am J Trop Med Hyg.* 2001; 64(3,4): 207-13.
46. Clarke, G. M., et al. Characterisation of the opposing effects of G6PD deficiency on cerebral malaria and severe malarial anaemia. *Elife.* 2017; 6
47. Conroy AL, Glover SJ, Hawkes M, Erdman LK, Seydel KB, Taylor TE, Molyneux ME, Kain KC. Angiotensin-2 levels are associated with retinopathy and predict mortality in Malawian children with cerebral malaria: a retrospective case-control study. *Crit Care Med.* 2012; 40(3): 952-9.

48. Conroy AL, Phiri H, Hawkes M, Glover S, Mallewa M, Seydel KB, Taylor TE, Molyneux ME, Kain KC. Endothelium-based biomarkers are associated with cerebral malaria in Malawian children: a retrospective case-control study. *PLoS One*. 2010; 5(12): e15291.
49. Glover SJ, Kawaza K, Chimalizeni Y, Molyneux ME. What can we learn from the retina in severe malaria? *Adv Exp Med Biol*. 2010; 659: 89-97.
50. Glover SJ, Maude RJ, Taylor TE, Molyneux ME, Beare NA. Malarial retinopathy and fluorescein angiography findings in a Malawian child with cerebral malaria. *Lancet Infect Dis*. 2010; 10(6): 440.
51. Gupta, S., et al. Extensive alterations of blood metabolites in pediatric cerebral malaria. *PLoS One*. 2017; 12(4): e0175686.
52. Knox, P. C., et al. Longitudinal Visuomotor Development in a Malaria Endemic Area: Cerebral Malaria and Beyond. *PLoS One*. 2016; 11(10): e0164885.
53. Lewallen S, Bronzan RN, Beare NA, Harding SP, Molyneux ME, Taylor TE. Using malaria retinopathy to improve the classification of children with cerebral malaria. *Roy Soc Trop Med Hyg*. 2008;102:1089-94.
54. Lewallen S, Taylor TE, Molyneux ME, Semba RD, Wills BA, Courtright P. Association between measures of vitamin A and the ocular fundus findings in cerebral malaria. *Arch Ophthalmol*. 1998; 116: 293-6.
55. Mbale, E. W., et al. Exploring neurodevelopmental outcome measures used in children with cerebral malaria: the perspectives of caregivers and health workers in Malawi. *BMC Pediatr*. 2017; 17(1): 9.
56. Postels DG, Birbeck GL. Children with retinopathy-negative cerebral malaria: a pathophysiological puzzle. *Pediatr Infect Dis J*. 2011; 30(11): 953-6.
57. Postels DG, Birbeck GL, Valim C, Mannor KM, Taylor TE. Seasonal differences in retinopathy-negative versus retinopathy-positive cerebral malaria. *Am J Trop Med Hyg*. 2013; 88(2): 315-8.
58. Potchen MJ, Birbeck GL, Demarco JK, Kampondeni SD, Beare N, Molyneux ME, Taylor TE. Neuroimaging findings in children with retinopathy-confirmed cerebral malaria. *Eur J Radiol*. 2010; 74(1): 262-8.
59. Potchen MJ, Kampondeni SD, Seydel KB, Birbeck GL, Hammond CA, Bradley WG, DeMarco JK, Glover SJ, Ugorji JO, Latourette MT, Siebert JE, Molyneux ME, Taylor TE. Acute brain MRI findings in 120 Malawian children with cerebral malaria: new insights into an ancient disease. *AJNR Am J Neuroradiol*. 2012; 33(9): 1740-6.
60. Seydel KB, Fox LL, Glover SJ, Reeves MJ, Pensulo P, Muiruri A, Mpakiza A, Molyneux ME, Taylor TE. Plasma concentrations of parasite histidine-rich protein 2 distinguish between retinopathy-positive and retinopathy-negative cerebral malaria in Malawian children. *J Infect Dis*. 2012; 206(3): 309-18.
61. White VA, Lewallen S, Beare NAV, Molyneux ME, Taylor TE. Retinal Pathology of Pediatric Cerebral Malaria in Malawi. *PLoS One*. 2009;4:1-8.

Onchocerciasis

62. Burnham G. The right word. *Lancet*. 2003; 361(9356): 456.
63. Burnham G. Ivermectin treatment of onchocercal skin lesions: observations from a placebo-controlled, double-blind trial in Malawi. *Am J Trop Med Hyg*. 1995; 52: 270-6.
64. Courtright P, Johnston K, Chitsulo L. A new focus of onchocerciasis in Mwanza District, Malawi. *Trans Roy Soc Trop Med Hyg*. 1995;89: 34-6.
65. Deribew, A., et al. Mortality and Disability-Adjusted Life-Years (Dalys) for Common Neglected Tropical Diseases in Ethiopia, 1990-2015: Evidence from the Global Burden of Disease Study 2015. *Ethiop Med J*. 2017; 55(Suppl 1): 3-14.
66. Krueger A, Mustapha M, Kalinga AK, Tambala PA, Post RJ, Maegga BT. Revision of the Ketaketa subcomplex of the simulium damnosum complex. *Med Vet Entomol*. 2006; 20: 76-92.
67. Krueger A, Kalinga AK, Post RJ, Maegga BT. Two new cytoforms of the *Simulium thyolense* (Diptera: Simuliidae) from Malawi and Tanzania and potential onchocerciasis vectors. *Trop Med Int Health*. 2004; 9: 805-11.
68. Mustapha M, Kruger A, Tambala PA, Post RJ. Incrimination of *Simulium thyolense* (Diptera: Simuliidae) as the anthropophilic backfly in the Thyolo focus of human onchocerciasis in Malawi. *Ann Trop Med Parasitol*. 2005; 99: 181-92.
69. Vajime CG, Tambala PA, Krueger A, Post RJ. The cytotaxonomy of *Simulium damnosum* s.l. (Diptera: Simuliidae) from the Thyolo onchocerciasis focus in Malawi and description of a new member of the complex. *Ann Trop Med Parasitol*. 2000; 94: 279-90.

Refractive errors

70. Douali MG, Silver JD. Self-optimised vision correction with adaptive spectacle lenses in developing countries. *Ophthalmic Physiol Opt*. 2004; 24(3): 234-41.
71. Kaphle, D., et al. Vision Impairment and Ocular Morbidity in a Refugee Population in Malawi. *Optom Vis Sci*. 2016; 93(2): 188-193.
72. Lewallen S, Lowdon R, Courtright P, Mehl GL. A population-based survey of the prevalence of refractive error in Malawi. *Ophthalmic Epidemiol*. 1995; 2(3): 145-9.
73. Msiska V, Njuguna M, Kariuki M. Magnitude and pattern of significant refractive errors in primary school children of Lilongwe, an urban district in Malawi. *East Afr J Ophthalmol*. 2008;39-41.
74. Msiska V, Njuguna M, Kariuki M. Magnitude and Pattern of significant refractive errors in primary school children of Ntcheu, a rural district in Malawi. *East Afr J Ophthalmol*. 2009; 18-20.
75. Schulze Schwering M, Kumar N, Bohrmann D, Msukwa G, Kalua K, Kayange P, Spitzer MS. Refractive errors, visual impairment, and the use of low-vision devices in albinism in Malawi. *Graefes Arch Clin Exp Ophthalmol*. 2015; 253(4):655-61

Trachoma

76. Dawson CR, Schachter J. Should trachoma be treated with antibiotics? *Lancet*. 2002; 59(9302): 184-5.
77. Gichangi M, Kalua K, Barassa E, Eliah E, Lewallen S, Courtright P. Task Shifting for Eye Care in Eastern Africa: General Nurses as Trichiasis Surgeons in Kenya, Malawi, and Tanzania. *Ophthalmic Epidemiol*. 2015;22(3):226-30
78. Hoeschmann A, Metcalfe NN, Kanjaloti S, Godia H, Mtambo O, Chipate J, Barrows J, Witte C, Courtright P. Reduction of trachoma in the absence of antibiotic treatment: evidence from a population-based survey in Malawi. *Ophthalmic Epidemiol*. 2001;8: 145-53.
79. Kalua K, Chirwa T, Kalilani L, Abbenyi S, Mukaka M, Bailey R. Prevalence and risk factors for Trachoma in Central and Southern Malawi. *PLoS one*. 2010; 5:1-7.
80. Kalua K, Phiri M, Kumwenda I, Masika M, Pavluck AL, Willis R, Mpyet C, Lewallen S, Courtright P, Solomon AW; Global Trachoma Mapping Project. Baseline Trachoma Mapping in Malawi with the Global Trachoma Mapping Project (GTMP). *Ophthalmic Epidemiol*. 2015;22(3):176-83
81. Kalua, K., et al. Completion of Baseline Trachoma Mapping in Malawi: Results of Eight Population-Based Prevalence Surveys Conducted with the Global Trachoma Mapping Project. *Ophthalmic Epidemiol*. 2016; 23(sup1): 32-38.
82. Limburg H, Minassian D, Katyola D. Field trial of applicability of lot quality assurance sampling survey method for rapid assessment of prevalence of active trachoma. *Bull World Health Organ*. 2003; 81: 877-85.

Traditional healers & traditional eye practices

83. Bisika T, Courtright P, Geneau R, Kasote A, Chimombo L, Chirambo M. Research paper: Self treatment of eye diseases in Malawi. *Afr J Trad CAM*. 2009;6:23-29.
84. Courtright P. Eye care knowledge and practices among Malawian traditional healers and the development of collaborative blindness prevention programmes. *Sos Sci Med*. 1995; 41: 1569-75.
85. Courtright P, Lewallen S, Kanjaloti S. Changing patterns of corneal disease and associated vision loss at a rural African hospital following a training programme for traditional healers. *Br J Ophthalmol*. 1996; 80(8): 694-7.
86. Courtright P, Lewallen S, Kanjaloti S. Traditional healers in primary eye care. *Br J Ophthalmol*. 1995; 79(5): 506.
87. Lewallen S, Courtright P. Peripheral corneal ulcers associated with use of African traditional eye medicines. *Br J Ophthalmol*. 1995; 79(4): 343-6.
88. Lewallen S, Courtright P. Role for traditional healers in eye care. *Lancet*. 1995; 345(8945): 456.

Vitamin A deficiency

89. Almekinder J, Manda W, Soko D, Lan Y, Hoover DR, Semba RD. Evaluation of plasma retinal-binding protein as a surrogate measure for plasma retinol concentrations. *Scand J Clin Lab Invest*. 2000; 60: 199-203.
90. Brabin BJ, Prinsen-Geerligs PD, Verhoeff FH, Fletcher KA, Chimsuku LH, Ngwira BM, Leich OJ, Broadhead RI. Haematological profiles of the people of rural southern Malawi: an overview. *Ann Trop Med Parasitol*. 2004; 98: 71-83.
91. Calis, J. C., et al. Severe anemia in Malawian children. *Malawi Med J*. 2016;28(3): 99-107.
92. Fazio-Tirrozzo G, Brabin L, Bradin B, Agbaj O, Harper G, Broadhead R. A community-based study of vitamin A and vitamin E status of adolescent girls living in the Shire Valley, southern Malawi. *Eur J Clin Nutr*. 1998; 52: 637-42.
93. Jason J, Archibald K, Nwanyanwu OC, Sowell AI, Buchanan I, Larned J, Bell M, Kazembe PN, Dobbie H, Jarvis WR. Vitamin A levels and immunity in humans. *Clin Diagn Lab Immunol*. 2002; 9: 616-21.
94. Semba RD, Kumwanda N, Taha TE, Mtimavalye L, Broadhead R, Miotti PG, Eisinger W, Hoover D, Chiphangwi JD. Plasma and breast milk vitamin A as indicators of vitamin A status in pregnant women. *Int J Vitam Nutri Res*. 2000; 70: 271-7.
95. Semba RD, Miotti PG, Chaphangwi JD, Dallabetta G, Yang LP, Saah A, Hoover D. Maternal vitamin A deficiency and infant mortality in Malawi. *J Trop Pediatr*. 1998; 44: 232-4.
96. Semba RD, Miotti P, Chaphangwe JD, Henderson R, Dallabetta G, Yang LP, Hoover D. Maternal vitamin A deficiency and child growth failure during human immunodeficiency virus infection. *J Acquir Immune Defic Syndr Hum Retrovirol*. 1997; 14: 291-22.
97. Semba RD, Miotti PG, Chaphangwi JD, Liomba G, Yang LP, Saah AJ, Dallabetta GA, Hoover DR. Infant Mortality and maternal vitamin A deficiency during human immunodeficiency virus infection. *Clin Infect Dis*. 1995; 21: 866-72.
98. Shivakoti, R., et al. Prevalence and risk factors of micronutrient deficiencies pre- and post-antiretroviral therapy (ART) among a diverse multicountry cohort of HIV-infected adults. *Clin Nutr*. 2016; 35(1): 183-189.
99. van den Broek N, Kulier R, Gulmezoglu AM, Villar J. Withdrawn: Vitamin A supplementation during pregnancy. *Cochrane Database Syst Rev*. 2010;11:CD001996.
100. van den Broek NR, White SA, Flowers C, Cook JD, Latsky EA, Tanumihardjo SA, Mhango C, Molyneux M, Neilson JP. Randomised trial of vitamin A supplementation in pregnant women in rural Malawi found to be anaemic on screening by HemoCue. *BJOG*. 2006; 113:569-76.

101. Wiysonge CS, Shey M, Kongnyuy EY, Sterne JA, Brocklehurst P. Vitamin A supplementation for reducing the risk of the mother-to-child transmission of HIV infection. *Cochrane Database Syst Rev.* 2011; (1): CD003648.

Other

102. Andriamanjato HH, Mathenge W, Kalua K, Courtright P, Lewallen S. Task shifting in primary eye care: how sensitive and specific are common signs and symptoms to predict conditions requiring referral to specialist eye personnel? *BMC Human Resources for Health* 2014;12 (Suppl 1):S3
103. Burgess, P. I., et al. Incidence and progression of diabetic retinopathy in Sub-Saharan Africa: A five year cohort study. *PLoS One.* 2017; 12(8): e0181359.
104. Dean WH, Courtright P, Cook C. Does training clinic nurses to test pinhole visual acuity as a screen for glaucoma increase glaucoma referrals to eye care professionals? A pilot study in Malawi. *Ophthalmic Epidemiol.* 2012; 19(5): 293-6.
105. Kalua K, Gichangi M, Barassa E, Eliah E, Lewallen S, Courtright P. A randomized controlled trial to investigate effects of enhanced supervision on primary eye care services at health centres in Kenya, Malawi and Tanzania. *BMC Health Serv Res.* 2014;14 Suppl 1:S6.
106. Kalua K, Gichangi M, Barassa E, Eliah E, Lewallen S, Courtright P. Skills of general health workers in primary eye care in Kenya, Malawi and Tanzania. *BMC Human Resources for Health* 2014;12(Suppl 1):S2
107. Kalua K, Gichangi M, Barassa E, Eliah E, Lewallen S, Courtright P. A randomised controlled trial to investigate effects of enhanced supervision on primary eye care services at health centres in Kenya, Malawi and Tanzania. *BMC Health Serv Res.* 2014;14 Suppl 1:S6.
108. Picard B. Molecular epidemiology of large bacterial endemics in Sub-Saharan Africa. *Bull Soc Pathol Exot.* 2000 Jul; 93(3): 145-53.
109. Schulze Schwering M, Batumba HN. Resident training in ophthalmology: can the German system learn from the Malawian one? *Klin Monbl Augenheikd.* 2013; 230(1): 72-5.
110. Schulze Schwering M, Spitzer MS, Kalua K, Batumba HN. Training ophthalmologists for developing economies: an African-German partnership. *Postgrad Med j.* 2014 Feb;90(1060):61-2.
111. Schwering MS, Kayange P, Wilhelm H. Neuro-ophthalmology in Malawi. *J Neuroophthalmol.* 2013; 33(2): e11-2.
112. van Dijk K, Lewallen S, Chirambo M, Gardiner J, Hoar B, Lindley J, Wade NK, Courtright P. Creation and testing of a practical visual function assessment for use in Africa; correlation with visual acuity, contrast sensitivity, and near vision in Malawian adults. *Br J Ophthalmol.* 1999; 83: 792-5.